

part Cancelled-sp. or Rec. Vol. 17 P. 420

CERTIFICATE NO. 16667 35810

\* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Alfred Poole (Name of applicant) of Stayton, Route 1 (Post office), County of Marion, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Alder Creek & North Santiam (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.42 cubic feet per second, being 0.29 s.f. from Alder Creek and 0.13 from North Fork Santiam (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 3500 North 2400 East 200 ft North and 2200 ft East from the SW corner of Section 17, T. 9 S., R. 1 E., (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 NW 1/4 & SE 1/4 SW 1/4 of Sec. 17, Tp. 9 S., R. 1 E., W. M., in the county of Marion (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.) R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 3 feet, length on top 30 feet, length at bottom 20 feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3" Centrifugal (Size and type of pump) 5 H.P. Motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.) 2 ft. Static Head to 12 ft.

\*A different form of application is provided where storage works are contemplated.

\*\*Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
.....County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied.....  
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 450.00
- 12. Construction work will begin on or before Partly irrigated
- 13. Construction work will be completed on or before 2 years after approval
- 14. The water will be completely applied to the proposed use on or before 3 years after approval

Alfred Poole  
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) .....  
(Name) (Address of witness)
- (2) .....  
(Name) (Address of witness)

Remarks: .....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....  
.....  
.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before....., 193.....

WITNESS my hand this..... day of....., 193.....

STATE ENGINEER

Application No. 18928

Permit No. 14537

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 9th day of August, 1934, at 4:45 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

October 21, 1940

Recorded in book No. 35 of

Permits on page 14537

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 50A & 45

Fees Paid \$9.95

STATE OF OREGON

County of Marion,

ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.42 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Alder Creek and North Santiam River, being 0.29 c.f.s. from Alder Creek, and 0.13 c.f.s. from North Santiam River.

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 9, 1940

Actual construction work shall begin on or before October 21, 1941 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1942

Complete application of the water to the proposed use shall be made on or before October 1, 1943

WITNESS my hand this 21st day of October, 1940

CHAS. E. STRICKLIN

STATE ENGINEER