

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, We, Fritz Von Allmen and Carl Bardell

(Name of applicant)

of Goble, County of Columbia, State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring, a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second. each applicant herein

**3. The use to which the water is to be applied is for domestic supplies

4. The point of diversion is located 166 ft. South and 29 ft. West from the NE corner of the SE 1/4 of NE 1/4 of Section 14, T. 6 N., R. 2 W., W. M.,

being within the SE 1/4 of NE 1/4 of Sec. 14, Tp. 6 N., R. 2 W., W. M., in the county of Columbia

5. The pipe line to be 800 ft. in length, terminating in the SW 1/4 of NW 1/4 of Sec. 13, Tp. 6 N., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 4.5 feet, length on top 8.0 feet, length at bottom 8.0 feet; material to be used and character of construction concrete

(b) Description of headgate pipe from spring

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated.

**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(b) At.....miles from headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(c) Length of pipe, 800 ft.; size at intake, 2 in.; size at 6 ft. from intake, 1 in.; size at place of use, 1/2 in.; difference in elevation between intake and place of use, 70 ft. Is grade uniform? yes Estimated capacity, 0.02 sec. ft.

8. Location of area to be irrigated, or place of use..... Place of use.....

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 6 North, 2 W. W.M., 13, SW 1/4 of NW 1/4, none.

(If more space required, attach separate sheet)

(a) Character of soil.....

(b) Kind of crops raised.....

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed.....theoretical horsepower.

(b) Quantity of water to be used for power.....sec. ft.

(c) Total fall to be utilized.....feet. (Head)

(d) The nature of the works by means of which the power is to be developed.....

(e) Such works to be located in.....of Sec..... (Legal Subdivision)

Tp....., R....., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?..... (Yes or No)

(g) If so, name stream and locate point of return.....

....., Sec....., Tp....., R....., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is.....

(i) The nature of the mines to be served.....

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of.....
.....County, having a present population of.....
(Name of)
and an estimated population of.....in 193.....

(b) If for domestic use state number of families to be supplied (2) two

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of ~~proposed~~ works, \$ 100.00.....
- 12. Construction work will begin on or before Has been completed.....
- 13. Construction work will be completed on or before.....
- 14. The water will be completely applied to the proposed use on or before December 1, 1940.....

Fritz Von Allmen
(Signature of applicant)

Carl Bardell

Signed in the presence of us as witnesses:

(1) Olive Barker..... Goble, Oregon.....
(Name) (Address of witness)

(2) Walter P. Braward..... Goble, Oregon.....
(Name) (Address of witness)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before....., 193.....

WITNESS my hand this.....day of....., 193.....

STATE ENGINEER

Application No. 18955

Permit No. 14557

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 21st day of August, 1940, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 21, 1940

Recorded in book No. 35 of

Permits on page 14557

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 6B

Fees Paid \$10.00 3

STATE OF OREGON

County of Marion

ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Spring

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 21, 1940

Actual construction work shall begin on or before October 21, 1941 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1942

Complete application of the water to the proposed use shall be made on or before

October 1, 1943

WITNESS my hand this 21st day of October, 1940

CHAS. E. STRICKLIN

STATE ENGINEER