

\* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, THE FEDERAL LAND BANK OF SPOKANE (Name of applicant)

of Spokane (Post office), County of Spokane, State of Washington, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Bethel Creek (Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is one and one-half cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 150 ft. South and -- ft. -- from the Northeast corner of Section corner common to 13, 14, 23 and 24 and various points along the creek bank in the North 1/2 of NE 1/4 of Section 23 and the S 1/2 of the SE 1/4 of Sec. 14, (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 & SE 1/4 SE 1/4 Sec. 14, & NE 1/4 NE 1/4 of Sec. 23, Tp. 30 S. (Give smallest legal subdivision) (N. or S.)

R. 15 West, W. M., in the county of Coos (E. or W.)

5. The pipe line with portable sprinklers to be operated from creek in length, terminating in the of Sec. of Tp. R. W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3" to 4" centrifugal gas pump average lift 10 feet. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
.....County, having a present population of .....  
(Name of) .....  
and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied.....  
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before ..... Spring of 1941
- 13. Construction work will be completed on or before ..... 2 years after approval
- 14. The water will be completely applied to the proposed use on or before ..... 3 years after approval

X The Federal Land Bank  
(Signature of applicant)  
X By C. A. Barnes

Signed in the presence of us as witnesses:

- (1) .....  
(Name) ..... (Address of witness) .....
- (2) .....  
(Name) ..... (Address of witness) .....

Remarks: .....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....  
.....  
.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before....., 193.....

WITNESS my hand this..... day of....., 193.....

STATE ENGINEER

Application No. 18973

Permit No. 14598

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 27th day of August, 1940, at 1:30 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

January 10, 1941

Recorded in book No. 36 of

Permits on page 14598

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 4

Fees Paid \$21.00

STATE OF OREGON

County of Marion,

ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.5 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Bethel Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 27, 1940

Actual construction work shall begin on or before January 10, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 10th day of January, 1941

CHAS. E. STRICKLIN STATE ENGINEER