

*** APPLICATION FOR A PERMIT** CERTIFICATE NO. 14692

To Appropriate the Public Waters of the State of Oregon

I, Austa Lumber Company
(Name of applicant)
of P. O. Linslaw, Oregon
(Post office), County of Lane
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation. Partnership
composed of N. M. Larsen, S. C. Larsen and Warren E. Clark.

1. The source of the proposed appropriation is Two Unnamed Creeks
(Name of stream)
and reservoir , a tributary of Wildcat Creek

2. The amount of water which the applicant intends to apply to beneficial use is one
one cubic foot per second from each = two cubic feet per second
cubic feet per second. from each of two unnamed creeks
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is fire protection, manufacturing, ir-
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
rigation, domestic supplies, maintain log pond.

4. The point of diversion is located 1427 ft. S. and 195 ft. East from the W $\frac{1}{4}$
(N. or S.) (E. or W.)
corner of Sec. 15. Point of diversion is 845 ft. S. and 205 ft. W. from the E $\frac{1}{4}$ cor.
(Section or subdivision)
Sec. 16. Point of diversion is 1265 ft. S. and 400 ft. W. from the E $\frac{1}{4}$ Cor. Sec. 16,
(If preferable, give distance and bearing to section corner)
Point of diversion is 905 ft. S. and 405 ft. W. from the E $\frac{1}{4}$ cor. Sec. 16.
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 15 & NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16 of Sec. 15 & 16, Tp. 18 S.
(Give smallest legal subdivision) (N. or S.)

R. 8 W., W. M., in the county of Lane
(E. or W.)

5. The 4" pipe line to be 1500 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 15, Tp. 18 S.
(Smallest legal subdivision) (N. or S.)
R. 8 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 13.5 feet, length on top 25.0 feet, length at bottom 12.0 feet; material to be used and character of construction Earth; to be constructed
(Loose rock, concrete, masonry,
with an R.D. 8 Caterpillar with bulldozer.
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 4" galvanized pipe, with 4" gate valve; one pipe.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(b) At.....miles from headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(c) Length of pipe,.....1500.....ft.; size at intake,.....4".....in.; size at.....ft. from intake.....in.; size at place of use.....4".....in.; difference in elevation between intake and place of use,.....85.....ft. Is grade uniform?.....No..... Estimated capacity,.....1.....sec. ft.

8. Location of area to be irrigated, or place of use.....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
18 S.	8 W.	16	NE ¹ / ₄ SE ¹ / ₄	1. (one) & domestic
		15	NW ¹ / ₄ SW ¹ / ₄	dom., mill & pond

(If more space required, attach separate sheet)

(a) Character of soil.....sandy loam.....
 (b) Kind of crops raised.....garden and lawn.....

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed.....theoretical horsepower.
 (b) Quantity of water to be used for power.....sec. ft.
 (c) Total fall to be utilized.....feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed.....

(e) Such works to be located in.....of Sec.....
 (Legal Subdivision)
 Tp....., R....., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?.....
 (Yes or No)
 (g) If so, name stream and locate point of return.....
 , Sec....., Tp....., R....., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is.....
 (i) The nature of the mines to be served.....

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of.....
.....County, having a present population of.....
(Name of)
and an estimated population of..... in 193....

(b) If for domestic use state number of families to be supplied 3 at present
ultimately 15 families. (Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 700.00
- 12. Construction work will begin on or before July 15, 1940
- 13. Construction work will be completed on or before January 31, 1941
- 14. The water will be completely applied to the proposed use on or before January 31, 1941

N. M. Larsen
(Signature of applicant)

S. C. Larsen

Warren E. Clark

Signed in the presence of us as witnesses:

Partners doing business under the firm
name of Austa Lumber Co.

(1) H. R. Oglesby, Veneta, Oregon
(Name) (Address of witness)

(2) H. G. Suttle, Noti, Oregon
(Name) (Address of witness)

Remarks: We are asking for an appropriation of one second foot for fire pro-
tection and manufacturing purposes, to be used in our sawmill, and one second foot
for irrigation and domestic supplies.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for..... completion

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before October 7th, 1940.

WITNESS my hand this 6th day of September, 1940

CHAS. E. STRICKLIN

STATE ENGINEER

RJW

Application No. 18985

Permit No. 14604

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 5th day of September, 1940 at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

January 10, 1941

Recorded in book No. 36 of

Permits on page 14604

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 18 Page 26

Fees Paid \$14.50

STATE OF OREGON } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.17 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Two Unnamed Creeks, and Reservoir to be constructed under Application No. R-19014, Permit No. R-757, being 0.17 c.f.s. from west creek and reservoir and 1.0 c.f.s. from east creek and reservoir.

The use to which this water is to be applied is Irrigation, Domestic, Manufacturing, Fire Protection, and Pond, being 0.15 c.f.s. from west creek for domestic, and 0.02 c. from west creek for irrigation; and 0.60 c.f.s. from east creek and reservoir for mfg, fire protection, 0.30 c.f.s. from east creek and reservoir for pond, and 0.10 c.f.s. from east creek and reservoir for domestic.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 5, 1940

Actual construction work shall begin on or before January 10, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 10th day of January, 1941

CHAS. E. STRICKLIN

STATE ENGINEER