

*** APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Joseph J. Niedermeyer (Name of applicant)
of Portland (Post office), County of Multnomah,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation.....

1. The source of the proposed appropriation is Unnamed Spring
(Name of stream)

, a tributary of Salmon River, Clackamas County

2. The amount of water which the applicant intends to apply to beneficial use is 0.05

cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic Supplies
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 250 ft. South and 1350 ft. West from the NE
(N. or S.) (E. or W.)
corner of Section 16, about 70 ft. East of SW Corner of Lot 8, Block 2, Salmon River
(Section or subdivision)
Tracts.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the Lot 8, Block 2, Salmon River Tract of Sec. 16, Tp. 3 South,
(Give smallest legal subdivision) in NW 1/4 NE 1/4 (N. or S.)

R. 7 East, W. M., in the county of Clackamas
(E. or W.)

5. The Pipe Line to be Approx. 150 ft.
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the Lot 8, Block 3 Salmon of Sec. 16, Tp. 3 South,
River Tract (Smallest legal subdivision) (N. or S.)

R. 7 East, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam approx. 5 feet, length on top approx. 3 feet, length at bottom
approx. 5 feet; material to be used and character of construction concrete & wood
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate.....
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description gravity flow
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____

_____ County, having a present population of _____
(Name of)

and an estimated population of _____ in 193__

(b) If for domestic use state number of families to be supplied. One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 30.00

12. Construction work will begin on or before 10-1-40

13. Construction work will be completed on or before 7-1-41

14. The water will be completely applied to the proposed use on or before 7-1-41

Joseph J. Niedermeyer

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Edgar R. Couey, Jr. 1141 N.E. 49th Ave.; Portland
(Name) (Address of witness)

(2) C. F. Maw 10740 S. E. Division St., Portland
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 10, 1940

WITNESS my hand this 10th day of September, 1940

CHAS. E. STRICKLIN

RE

STATE ENGINEER

Application No. 18990

Permit No. 14607

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 6th day of September, 1940 at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

January 10, 1941

Recorded in book No. 36 of

Permits on page 14607

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 3 Page 14

Fees Paid \$10.00

STATE OF OREGON

County of Marion,

ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed Spring

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 6, 1940

Actual construction work shall begin on or before January 10, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 10th day of January, 1941

CHAS. E. STRICKLIN

STATE ENGINEER