Permit No. 1465

APPLICATION FOR A PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

1,	Sm	ith Stephe	ns	(Nama	of Applicant.)	••••••••••		
o.f	Amity					. Yembill		
		\						
State of	0:	regon		, do he	reby make ap	plication for	a permit	$to\ appropriate$
				,	on, subject to			
				-				
Ψ τη	ie applican	t is a corpor						•
1. ′	$The \ source$	of the prope					••••	
	Sma.	ll spring	branch.	No name.		•	of stream)	
2. ′	The amoun	t of water w	hich the a					•
1/1	0	cubic fpa t p	per second.					
9 /					Domestic	Supply		
Ð	i ne use to	which the w	uter is to t	re appuea is		(Irrigati		mining, manufactu
	ipplies, etc.)		·					
4. 2	The point of	of diversion	is located	494.5 foc	et South and	d 267.0 fe	et East	of the $\frac{1}{4}$
Section		between Se		25		distance and bea	aring to seci	
			1 4				-	
being wi	thin the	(Give smalle	of NE	ab division \	of Sec	25	, Tp	5 S
D	4 W				Yamhill			(No. N. or S.)
(No.	E. or W.)	, VV . IVI	., in the c	ounty of				
5. Z	The	(Main ditch,			t	o be		mile
lenath te	erminatińa				of Sec.	T_{D}		R
<i>verigon</i> , <i>ve</i>	, munication	(Sr	mallest legal	subdivision)	20) 2001	(No.	N. or S.)	(No. E. or
W. M., th	ne proposed	l location bei	ng shown	throughout of	on the accomp	anying map.		
6.	The name	of the ditch,	canal or o	other works	<i>i</i> s		•	
	····			·				
]	DESCRIPTION	of works			
Diversion	Works—							
7. ((a) Height	t of dam	5.0	feet. lenath (on top $10.$. 0	feet	, length at bot
								······
		maieriai to o	e usea and	a cnaracter (oj constructio	ru		(Loose rock, con-
				y over or aroun		·····	·	
	(b) Descri	ntion of hea	daate		 ,	· ···	•	
(, 200011	£		(Timber,	concrete, etc., n	umber and size	of opening	s)
					•••••			

neadgate. At headgate: Width on top (at water line)	feet; width on bottom
feet; depth of waterfeet; grade	feet fall per one
housand feet.	
(b) Atmiles from headgate: Width on top (at	water line)
feet; width on bottomfeet; depth of we	aterfeet;
gradefeet fall per one thousand feet.	
FILL IN THE FOLLOWING INFORMATION WHERE THE WAT	
Irrigation—	
9. The land to be irrigated has a total area of	
smallest legal subdivision, as follows:	
(Give area of land in each smallest legal subdivision which you intend to	irrigate)
·	
(If more space required, attach separate sheet)	
Power, Mining, Manufacturing, or Transportation Purposes-	
10. (a) Total amount of power to be developed	theoretical horsepower
(b) Total fall to be utilized feet.	,
(c) The nature of the works by means of which the power is to be	developed
(c) The harare of the works of mounts of which the person is to see	
(d) Such works to be located in (Legal subdivision)	of Sec.
Tp, R, W. M.	
(e) Is water to be returned to any stream? (Yes or No.)
(f) If so, name stream and locate point of return	•
, Sec, Tp, (No. N. or S.)	R, W. M.
(g) The use to which power is to be applied is	

County, having a present population of	Municipa	al Supply—		
(Answer questions i. 19 (Answer questions i. 15. is, and is in all cases) 12. Estimated cost of proposed works, § 150. 20 13. Construction work will begin on or before	11.	To supply the city of		
(Answer questions 15, 15, 15, and 15 in all cases) 12. Estimated cost of proposed works, \$ 150, 00 13. Construction work will begin on or before	•••••		resent population of	, and ar
12. Estimated cost of proposed works, \$ 100.00 13. Construction work will begin on or before	estimate	• • • • • • • • • • • • • • • • • • • •		
12. Estimated cost of proposed works, \$ 100.00 13. Construction work will begin on or before				
13. Construction work will begin on or before		(Answer questions 12,	, 13, 14, and 15 in all cases)	
14. Construction work will be completed on or before Aug. 1, 1915 15. The water will be completely applied to the proposed use on or before. Aug. 1, 1913 Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the floard of Control, accompany this application. Smith Stephens Signed in the presence of us as witnesses: [Name] Signed in the presence of us as witnesses: [Name] (Name)	12.	Estimated cost of proposed works, \$	150.00	
14. Construction work will be completed on or before Aug. 1, 1915 15. The water will be completely applied to the proposed use on or before. Aug. 1, 1915 Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the food of Control, accompany this application. Smith Stephens Signed in the presence of us as witnesses: [1] Early Stephens [Name] (Name) (13.	Construction work will begin on or b	before June 1, 1913	
Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the Goard of Control, accompany this application. Smith Stephens Signed in the presence of us as witnesses: (Name) (14.			
Signed in the presence of us as witnesses: (Name) Signed in the presence of us as witnesses: (Name) (Naddress of witness) (Address of witness) (Name) (Name) (Name) (Name) (Name) (Name) (Naddress of witness) (Address of springs tweeters of a person of appropriating the waters of a good of springs trach address of witness) (Address of witness) (Address of witness) (Address of springs trach (Address of appropriating the waters of a small spring trach address of springs trach (Address of appropriating the waters of a small spring trach address of appropriating the waters of a small sprin	15.		o the proposed use on or before	•
Signed in the presence of us as witnesses: (1) Emily Stephens	Dup	plicate maps of the proposed ditch or o	other works, prepared in accordan	ce with the rules of the
Signed in the presence of us as witnesses: (1) Emily Stephens	Board of	f Control, accompany this application.	_	
Signed in the presence of us as witnesses: (Ame) (Name) (Naddress of witness) (Naddress of uncertainty the water sold and is to be used for domestic pur-				
Emily Stephens (Name)	Si an a	ad in the masses of an arrayita	·····	
Mrs. H W Herring McMinnville, Ore. (Name) (Naddress of witness) (Name) (Name) (Naddress of witness) (Name) (Name) (Naddress of witness) (Name) (Naddress of witness) (Naddress of witness) (Name) (Name) (Naddress of witness) (Name) (N	_	- '	Amity Oro	
Remarks: This application is for puriose of appropriating the waters of a small spring branch above described and is to be used for domestic purposes, the supply pipe to be 1" and running in a northeasterly course about 4000 feet to empty into distern used as reservoir above the residence of Smith Stephens. From all indications, there are several small springs supplying this branch below where we take out our water 400 feet helow our dam, there is 3 times the amount of water over weir, Jan. 18, 1913 H W Herring, Surveyor. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before 19 WITNESS my hand this. day of 19	(1)	(Name)	(Address of witness))
Remarks: This application is for pursose of appropriating the waters of a small spring branch above described and is to be used for domestic purposes, the supply pipe to be 1" and running in a northeasterly course about 4000 feet to empty into eistern used as reservoir above the residence of Smith Stephens. From all indications, there are several small springs supplying this branch below where we take out, our water 400 feet helow our dam, there is 3 times the amount of water over weir. Jan. 18, 1913 H W Herring, Surveyor. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before. 10 MITNESS my hand this. 11 day of 19	(2) ^M	rs. H W Herring	McMinnville, Ore.	
small spring branch above described and is to be used for domestic purposes, the supply pipe to be 1" and running in a northeasterly course about 4000 feet to empty into distern used as reservoir above the residence of Smith Stephens. From all indications, there are several small springs supplying this branch below where we take out our water 400 feet below our dam, there is 3 times the amount of water over weir, Jan. 18, 1913 H W Herring, Surveyor. State OF OREGON, County of Marion State of County of Marion This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before WITNESS my hand this. day of	Rom	Mois complianting in Accept		
poses, the supply pipe to be 1" and running in a northeasterly course about 4000 feet to empty into distern used as reservoir above the residence of Smith Stephens. From all Indications, there are several small springs supplying this branch below where we take out our water 400 feet below our dam, there is 3 times the amount of water over weir, Jan. 18, 1913 H W Herring, Surveyor. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before. WITNESS my hand this. day of	nem			domestic num
about 4000 feet to empty into cistern used as reservoir above the residence of Smith Stephens. From all indications, there are several small springs supplying this branch below where we take out. our water 400 feet below our dam, there is 3 times the amount of water over weir, Jan. 18, 1913 H W Herring, Surveyor. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before				·
dence of Smith Stephens. From all Indications, there are several small springs supplying this branch below where we take out. our water 400 feet below our dam, there is 3 times the amount of water over weir, Jan. 18, 1913 H W Herring, Surveyor. TATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before				
From all indications, there are several small springs supplying this branch below where we take out. our water 400 feet below our dem, there is 3 times the amount of water over weir, Jan. 18, 1913 H W Herring, Surveyor. TATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before				
there is 3 times the amount of water over weir, Jan. 18, 1913 H W Herring, Surveyor. STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before. WITNESS my hand this. day of ,19		From all indications.	, there are several small spr	rings supplying
Surveyor. STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before				
TATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before		H W	Herring,	
County of Marion This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before			Surveyor.	
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before		OF OREGON.		
In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before	This		oregoing application together with	the accompanying mane
In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before				
In order to retain its priority, this application must be returned to the State Engineer, with corections, on or before	'ma aata 	······································		
ections, on or before, 19, 19, 19, 19, 19, 19, 19, 19				
WITNESS my hand thisday of, 19,	In o	order to retain its priority, this applica	ution must be returned to the Ste	ate Engineer, with cor-
<u></u>	\cdot ections,	on or before	, 19	
State Engineer.	WIT	TNESS my hand this	day of	, 19
				State Engineer.

2

Application	No2673	
Permit No.	1465	_

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No1 District No	
This instrument was first received in the of the State Engineer at Salem, Oregon, or 27 November day of	on the
Returned to applicant for correction Jan. 18, 1913	
Corrected application received Feb. 17, 1913	
Approved Mar 28 1913	
Recorded in Book No. 6 of Per-	mits on
1 map CES PAC 8.00 State Eng	jineer.

STATE OF OREGON,

County of Marion

|ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The priority date of this permit is November 27, 1912

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed.

One-tenth

Cubic feet per second.

Actual construction work shall begin on or before.

March 28, 1914

and shall thereafter be prosecuted with reasonable diligence and be completed on or before.

March 26, 1915

Complete application of the water to the proposed use shall be made on or before.

March 28, 1916

WITNESS my hand this.

28th

day of

March

John H Lewis

2

State Engineer.