

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 15258

To Appropriate the Public Waters of the State of Oregon

I, B. A. Kliks and Louise B. Kliks
(Name of applicant)
of Portland, 410 Pearson Building,
(Post office) Multnomah
County of Oregon
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.....

1. The source of the proposed appropriation is Unnamed Stream, and Unnamed Spring,
(Name of stream)
which ultimately are Baker Creek
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .1
cubic feet per second. from spring, and .1 cubic feet per second from unnamed stream.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation from spring, and irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
from unnamed stream, & operation of ram from spring - 0.02 s.f. for ram.

4. The point of diversion is located 600 ft. North and 100 ft. east from the center
(N. or S.) (E. or W.)
corner of Section 2; point of diversion from unnamed stream is 1320 feet west from
(Section or subdivision)
center of Section 2; all in, T. 4 S., of R. 5 W., of the W. M. in Yamhill County,
(If preferable, give distance and bearing to section corner)
Oregon;

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 2, Tp. 4 South,
(Give smallest legal subdivision) (N. or S.)
R. 5 West, W. M., in the county of Yamhill, for spring, and within NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of said
(E. or W.) Sec. 2, for unnamed stream
5. The pipe from spring to house is approximately 1200 feet in length
ditches from unnamed stream to be 600 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW $\frac{1}{4}$ of SE $\frac{1}{4}$ & NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Sec. 2, Tp. 4 South,
(Smallest legal subdivision) (N. or S.)
R. 5 West, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam.....feet, length on top.....feet, length at bottom
.....feet; material to be used and character of construction.....

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
No dam necessary; diversion ditches needed only from unnamed stream, with headgate
for measuring; stream is small; water from spring has been piped for over 20 years,
to house, ram furnishing power.

(b) Description of headgate timber, one opening 1 foot square.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description water from spring pumped by small
(Size and type of pump)
ram to 300 gallon tank in house; from tank, is piped to spigots in kitchen, yard,
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
and to garden area.

*A different form of application is provided where storage works are contemplated.
**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Application No. 19077

Permit No. 14672

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 8th day of November, 1940 at 3:45 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

January 10, 1941

Recorded in book No. 36 of

Permits on page 14672

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 90F

Fees Paid \$9.75

STATE OF OREGON

County of Marion,

ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.09 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Stream and Unnamed Spring, being 0.04 c.f.s. from stream and 0.05 c.f.s. from spring.

The use to which this water is to be applied is Irrigation and Operation of Ram, being 0.04 c.f.s. for irrigation from stream; and 0.03 c.f.s. for irrigation and 0.02 c.f.s. for operation of ram from spring.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 8, 1940

Actual construction work shall begin on or before January 10, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 10th day of January, 1941

CHAS. E. STRICKLIN

STATE ENGINEER