

\* APPLICATION FOR A PERMIT

CERTIFICATE NO. 14327

To Appropriate the Public Waters of the State of Oregon

I, Herman H. Schmitt (Name of applicant) of Prineville (Post office), County of Crook, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.

X X X X X X X X X X X X X X X

1. The source of the proposed appropriation is Springs and Seepage Water (Name of stream), a tributary of Crooked River

2. The amount of water which the applicant intends to apply to beneficial use is 1.8 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 20 ft. South and 575 ft. West from the W 1/4 corner of Section 19, Township 14 South of Range 16 East of W. M., within NE 1/4 SE 1/4 Sec. 24, T. 14 S. R. 15 E. W. M., See "Remarks" (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the #5, #6, & #7 of Sec. 19, Tp. 14 S. R. 15 E., W. M., in the county of Crook

5. The Main Ditch to be One Mile Long in length, terminating in the SE 1/4 of SE 1/4 of NW 1/4 of Sec. 25, Tp. 14 South, R. 15 East, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam X X X feet, length on top X X X X feet, length at bottom X X X feet; material to be used and character of construction Merely ditch constructed at water level

(b) Description of headgate Timber, size 36 inches at opening, (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description X X X X X X X X X X (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated. \*\*Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) three feet; width on bottom three feet; depth of water 6 inches feet; grade 1 inch feet fall per one thousand feet.

(b) At None miles from headgate: width on top (at water line) three feet; width on bottom three feet; depth of water 6 inches feet; grade 1 inch feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Data includes 14 South 15 East 24 NW 1/4 SE 1/4 (40 acres), 14 South 15 East 24 NE 1/4 SE 1/4 (16 acres), 14 South 15 East 24 SW 1/4 SE 1/4 (25 acres), 14 South 15 East 25 NW 1/4 NE 1/4 (8 acres), 14 South 15 East 25 SW 1/4 NE 1/4 (2 acres), Total 91 acres.

(If more space required, attach separate sheet)

(a) Character of soil Bottom Loam Soil

(b) Kind of crops raised Alfalfa Hay and Grass ( Pasture )

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal Subdivision)

Tp. No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

, Sec. (No. N. or S.), Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 750.00 .....

12. Construction work will begin on or before .....

Begun Sept. 10, 1940

13. Construction work will be completed on or before .....

July 1, 1941

14. The water will be completely applied to the proposed use on or before .....

July 1, 1941

Herman H. Schmitt

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) G. L. Bernier ..... Prineville, Oregon

(Name)

(Address of witness)

(2) ..... (Name) ..... (Address of witness)

Remarks: No. 4. All seepage and drainage water arising on the N $\frac{1}{2}$ NW $\frac{1}{4}$  of Section 19, in Township 14 South of Range 16 East of Willamette Meridian. Also all of the flow of several springs located on the S $\frac{1}{2}$ NW $\frac{1}{4}$  of Section 19 in Township 14 South of Range 16 East of Willamette Meridian, and the S $\frac{1}{2}$ NE $\frac{1}{4}$  of Section 24, in Township 14 South of Range 15 East of the Willamette Meridian, more particularly described as follows: Beginning from the Southeast corner of the NE $\frac{1}{4}$  of Section 24, Township 14 South of Range 15 East, W. M.

|           |       |         |      |            |
|-----------|-------|---------|------|------------|
| Spring #1 | North | 20° 08' | West | 318.3 ft.  |
| " #2      | "     | 16° 06' | "    | 374.7 ft.  |
| " #3      | "     | 20° 18' | "    | 388.7 ft.  |
| " #4      | "     | 20° 27' | "    | 656.2 ft.  |
| " #5      | "     | 17° 02' | East | 494.2 ft.  |
| " #6      | "     | 31° 34' | "    | 545.9 ft.  |
| " #7      | "     | 33° 26' | "    | 1058.8 ft. |

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... completion

..... completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before..... April 5, 1940

June 24, 1940

WITNESS my hand this 5th day of March, 1940

24th

CHAS. E. STRICKLIN

STATE ENGINEER

FB RE

Application No. 18595

Permit No. 14692

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 1st day of March, 1941 at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

March 22, 1941

Recorded in book No. 36 of

Permits on page 14692

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 5 Page 14

Fees Paid \$18.65

STATE OF OREGON

County of Marion,

} ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.14 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Springs and Seepage Water

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated throughout the irrigation season,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 26, 1940

Actual construction work shall begin on or before March 22, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 22nd day of March, 1941

CHAS. E. STRICKLIN

STATE ENGINEER