

## \* APPLICATION FOR A PERMIT

CERTIFICATE NO. 14510

## To Appropriate the Public Waters of the State of Oregon

I, Grace N. Williams  
 (Name of applicant)  
 of 1202 Porter Bldg., Portland, County of Multnomah,  
 (Post office)  
 State of Oregon, do hereby make application for a permit to appropriate the  
 following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.

1. The source of the proposed appropriation is Willamette River  
 (Name of stream)  
 a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is One  
 cubic feet per second.  
 (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 80 ft. East and 80 ft. South from the  
 (N. or S.) (E. or W.)  
 corner of Quarter section corner between Sec. 29 & 32  
 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
 being within the NW $\frac{1}{4}$  of NE $\frac{1}{4}$  of Sec. 32, Tp. 3 South,  
 (Give smallest legal subdivision) (N. or S.)  
 R. 1 West, W. M., in the county of Clackamas  
 (E. or W.)

5. The pipe line to be 1,000 feet  
 (Main ditch, canal or pipe line) (Miles or feet)  
 in length, terminating in the SE $\frac{1}{4}$  of SW $\frac{1}{4}$  of Sec. 29, Tp. 3 South,  
 (Smallest legal subdivision) (N. or S.)  
 R. 1 West, W. M., the proposed location being shown throughout on the accompanying map.  
 (E. or W.)

## DESCRIPTION OF WORKS

## DIVERSION WORKS—

6. (a) Height of dam None feet, length on top None feet, length at bottom  
None feet; material to be used and character of construction None  
 (Loose rock, concrete, masonry,  
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None  
 (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 inch centrifugal pump  
 (Size and type of pump)  
electric power 10 h.p.  
 (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



## MUNICIPLAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of.....

-----County, having a present population of-----  
(Name of)

and an estimated population of.....in 193....

(b) If for domestic use state number of families to be supplied.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,000.00.....

12. Construction work will begin on or before March 1, 1941

13. Construction work will be completed on or before April 1, 1941

14. The water will be completely applied to the proposed use on or before.....June 1, 1941.....

GRACE N. WILLIAMS

-----  
(Signature of applicant)

By Ralph E. Williams, Jr.

Attorney in Fact

*Signed in the presence of us as witnesses:*

(1) Inez V. Babb, 335 N. W. 17th Avenue  
(Name) (Address of witness)

(2) \_\_\_\_\_,  
(Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

*This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....completion.....*

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 6, 1941.

WITNESS my hand this 6 day of December, 1984

CHAS. E. STRICKLIN

-----  
STATE ENGINEER

LH

Application No. 19099

Permit No. 14706

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the  
office of the State Engineer at Salem, Oregon

on the 5th day of December,  
1940, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 22, 1941

Recorded in book No. 36 of

Permits on page 14706

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 64

Fees Paid \$17.00

STATE OF OREGON

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,  
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from

Willamette River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per  
second or its equivalent for each acre irrigated and shall be further limited to a  
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the  
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 5, 1940

Actual construction work shall begin on or before March 22, 1942 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
October 1, 1943

Complete application of the water to the proposed use shall be made on or before  
October 1, 1944

WITNESS my hand this 22nd day of March, 1941

CHAS. E. STRICKLIN

STATE ENGINEER