

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 23976

To appropriate the Public Waters of the State of Oregon

I, W. K. Scovell
(Name of applicant)
of Nehalem
(Post office), County of Tillamook,
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.....

1. The source of the proposed appropriation is Fall Creek
(Name of stream)
....., a tributary of Nehalem River

2. The amount of water which the applicant intends to apply to beneficial use is 0.35
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supply and manufacturing
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
(cheese factory)

4. The point of diversion is located 15 ft Chains and North 70° W. from the SE
(N. or S.) (E. or W.)
corner of Section 1, T. 3 N., R. 10 W. & running thence 700 feet West,
(Section or subdivision)
.....
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW 1/4 of the SE 1/4 of Sec. One, Tp. 3 N.,
(Give smallest legal subdivision) (N. or S.)
R. 10 W., W. M., in the county of Tillamook
(E. or W.)

5. The pipe line to be 1700 feet more or less
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the Lot 2 of Sec. 12, Tp. 3 N.,
(Smallest legal subdivision) (N. or S.)
R. 10 W. and in Lot 12, Sec. 6, T. 3 N., R. 9 W., W. M.
(E. or W.), the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 2 1/2 feet, length on top 14 feet, length at bottom 6 feet; material to be used and character of construction wood with wasteway over dam.
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate concrete with opening for 4" pipe
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description not pumped
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Application No. 19150

Permit No. 14745

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 5th day of February, 1941 at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 22, 1941

Recorded in book No. 36 of Permits on page 14745

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 12A

Fees Paid \$10.00

STATE OF OREGON } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.35 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Fall Creek

The use to which this water is to be applied is Domestic and Manufacturing

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 5, 1941

Actual construction work shall begin on or before March 22, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before

October 1, 1944

WITNESS my hand this 22nd day of March, 1941

CHAS. E. STRICKLIN STATE ENGINEER