* APPLICATION FOR A PERMIT

CERTIFICATE 1.0. 15/22

To Appropriate the Public Waters of the State of Oregon

Ι,.	Richard Kenney					
	Dorston Courts O Dors		of applicant)	. Vomi		
oj	Dayton, Route 2, Box (Post office)		, County o	ofLeun	the state of the s	
State of	<u>Oregon</u>	, do hereby r	$nake\ applicatio$	n for a p	ermit to approp	oriate the
following	described public waters of	the State of Oregon	, SUBJECT TO) EXIST	ING RIGHTS:	
If	the applicant is a corporation	on, give date and plo	ice of incorpor	ration		
1	The source of the propose	ed appropriation is	Yamhil	l River		
				(Name of st	ream)	
		, a tributary	ofWillam	ette Ri	ver	•••••••••••••••••••••••••••••••••••••••
	The amount of water which					
cubic feet	t per second.	(If water is to be used from	more than one sour	ce, give qua	ntity from each)	
	The use to which the water	r is to be applied is .	Irrigat	ion		
		(Ir	rigation, power, min	ing, manufac	turing, domestic su	pplies, etc.)
	Portable Sprin	kling System			•••••	
4.	The point of diversion is l	ocated ft	and N. or S.)	ft	from the	
	at any point along Yan					
	$\frac{1}{4}$ & NE $\frac{1}{2}$ NE $\frac{1}{4}$, of Section					
	(If there is more than one poi	nt of diversion, each must be	described. Use separa	ate sheet if ne	cessary)	
being wit	hin the NEANWA, NWANEA &	& NEANEA	of Sec	17	, Тр4	South,
R. 3.W	(Give smallest lest, W. M., in the cound r.W.)				(N.	or S.)
	The Pipe Line	tch, canal or pipe line)	to be	780 & (600' of late	ral line
in length,	, terminating in the NEAN		of Sec	17		S., ,
	. W. M., the propose	ed location being sho	own throughou	t on the a	ccompanying r	nap.
		DESCRIPTION OF	F WORKS			
DIVERSION	n Works—					
6.	(a) Height of dam	feet, lengt	h on top		feet, length	at bottom
,	feet; material to be us	ed and character of	construction		(Loose rock, coner	ete, masonr y ,
rock and brus	sh, timber crib, etc., wasteway over or an	cound dam)				
(b) Description of headgate					
(c.) If water is to be pumped s	give general descript	ion 2" Cent			
	Ford Tractor				type of pump)	
••••		engine or motor to be used, to				

^{*}A different form of application is provided where storage works are contemplated.

^{**}Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANTAT.	SYSTEM	ΩD	DIDE	T.INE
UANAL	SYSTEM	UK	PIPE	LINE

eadgate. At he	eadgate: width o	n top (at water l	ine)	feet; width on botton
nousand feet.	feet; depth of	water	feet; grade	feet fall per or
•		miles from hed	idgate: width on top (at we	ater line)
				vaterfee
		et fall per one th		
				in.; size at780f
				ifference in elevation betwee
				Y Estimated capacit
		Y18 [z Estimatea capacii
	<u> </u>		ce of use	
Township	Range	Section	Forty-arce Tract	Number Acres To Be Irrigated
4 South	3 West	17		3.0
			NW2 NE2	25.0
			NE NE L	2.0
•				
				•••
				···
(n) (Th ma			equired, attach separate sheet)	
• •				
(b) Kind	l of crops raised	Derries & De	34115	
	NG PURPOSES—	manuar ta ha dawa	lomed	the constinut home on any
•				theoretical horsepowe
, , ,			power	sec. ft.
(c) T	otal fall to be a	ıtilized	(Head)	
(d) T	'he nature of the	e works by means	s of which the power is to	be developed
(e) S	uch works to be	located in	(Legal Subdivision)	of Sec
p	, R	, W. M.	, -	
	•		eam?	
			(Yes or No)	
	•		•	
				, R, W. M.
/1.\ /1		THE THE TALL TO BE A	TOTTEOL 18	
(h) T	ne use to which	power is to be w	P P **********************************	

MUNICIPLAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	
County, having a presen	nt population of
(Name of) and an estimated population of	in 193
(b) If for domestic use state number of	families to be supplied
(Answer questions 11	, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$ 100	00.00
	e l year after approval
	or before 2 years after approval
	the proposed use on or before three years after
	Richard Kenney (Signature of applicant)
,	
Signed in the presence of us as witnesses:	
	·j
(Name)	(Address of witness)
(2)(Name)	(Address of witness)
Remarks:	
	· · · · · · · · · · · · · · · · · · ·
STATE OF OREGON, ss. Ss.	
	pregoing application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority, this applica	ation must be returned to the State Engineer, with
corrections on or before	, 193
WITNESS my hand thisday	of, 193
	STATE ENGINEER

Application	No19159
Permit No.	14751

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

	This instrument was first received in the office of the State Engineer at Salem, Oregon
	on the 11th day of February,
	193.4] at 11:30 o'clock A. M.
	Returned to applicant:
•	Corrected application received:
	Approved:
	March 22, 1941
	Recorded in book No36of
	Permits on page 14751
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 2 Page 86
	Fees Paid \$9.50
STATE OF OREGON) PERMIT
County of Marion,	$\{ss.$
	hat I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING	G RIGHTS and the following limitations and conditions:
The might homein as	
i ne right herein gr	ranted is limited to the amount of water which can be applied to beneficial use
	anted is limited to the amount of water which can be applied to beneficial use 0.38
and shall not exceed	
and shall not exceedstream, or its equivalent i	0.38 cubic feet per second measured at the point of diversion from the
and shall not exceedstream, or its equivalent i	0.38 cubic feet per second measured at the point of diversion from the in case of rotation with other water users, from
and shall not exceedstream, or its equivalent i	0.38 cubic feet per second measured at the point of diversion from the n case of rotation with other water users, from Yamhill River
and shall not exceedstream, or its equivalent i The use to which the stream of the irrigation, the stream of the irrigation, the stream of the irrigation, the stream of the irrigation o	Co.38 cubic feet per second measured at the point of diversion from the in case of rotation with other water users, from Yamhill River his water is to be applied is Irrigation his appropriation shall be limited to 1/80th of one cubic foot per
and shall not exceedstream, or its equivalent i The use to which the second or its equivalent.	Co.38 cubic feet per second measured at the point of diversion from the in case of rotation with other water users, from Yamhill River his water is to be applied is
and shall not exceedstream, or its equivalent i The use to which the second or its equival diversion of not to e	Co.38 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Yambill River his water is to be applied is
and shall not exceedstream, or its equivalent i The use to which the second or its equival diversion of not to e	Co.38 cubic feet per second measured at the point of diversion from the in case of rotation with other water users, from Yamhill River his water is to be applied is
and shall not exceed	Co.38 cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Yambill River his water is to be applied is
and shall not exceed	O.38 cubic feet per second measured at the point of diversion from the n case of rotation with other water users, from Yamhill River his water is to be applied isIrrigation his appropriation shall be limited to
and shall not exceed	Co.28 cubic feet per second measured at the point of diversion from the in case of rotation with other water users, from Yambill River his water is to be applied is Irrigation his appropriation shall be limited to 1/80th of one cubic foot per lent for each acre irrigated and shall be further limited to a exceed 2½ acre feet per acre for each acre irrigated during the each year, ch reasonable rotation system as may be ordered by the proper state officer.
and shall not exceed	Co.38
and shall not exceed	Co.28 cubic feet per second measured at the point of diversion from the in case of rotation with other water users, from Yamhill River his water is to be applied is Irrigation his appropriation shall be limited to 1/80th of one cubic foot per lent for each acre irrigated and shall be further limited to a exceed 2½ acre feet per acre for each acre irrigated during the each year, ch reasonable rotation system as may be ordered by the proper state officer. of this permit is February 11, 1941 n work shall begin on or before March 22, 1942 and shall
and shall not exceed	O.28
and shall not exceed	C.38
and shall not exceed	C.38
and shall not exceed	C.38