

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 14516

To Appropriate the Public Waters of the State of Oregon

THE UNITED STATES NATIONAL BANK OF PORTLAND (OREGON), Trustee of the estate of A. S. PATTULLO, Deceased, by his last will and testament.
 of _____, County of Multnomah,
(Post office)
 State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation. Portland, Oregon,
 Feb. 4, 1891. (A national banking corporation.)

1. The source of the proposed appropriation is Unnamed Spring
(Name of stream)
 _____, a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is .2
 cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 800 ft. South and 987 ft. East from the NW $\frac{1}{4}$
(N. or S.) (E. or W.)
 corner of Section 21, 2 South - 1 East,
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Sec. 21, Tp. 2 South,
(Give smallest legal subdivision) (N. or S.)

R. 1 East, W. M., in the county of Clackamas
(E. or W.)

5. The main pipe line to be 2000 feet
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 21, Tp. 2 South,
(Smallest legal subdivision) (N. or S.)
 R. 1 East, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam no dam feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of head gate Concrete basin around spring, 6 ft. x 5 ft. x 6 ft. deep
(Timber, concrete, etc., number and size of openings)
 1 $\frac{1}{4}$ " overflow pipe and 1" suction pipe to pump.

(c) If water is to be pumped give general description 2 $\frac{1}{2}$ x 3 Meyers, self oiling
(Size and type of pump)
 Bulldozer pump with 3/4 H.P. single phase Century motor in concrete pit adjoining
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
 spring. Water lift, 140 ft. to 3000 gal. fir tank on 7' tower at north end of main pipe line.

*A different form of application is provided where storage works are contemplated.

**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(b) At.....miles from headgate: width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(c) Length of pipe, 2000.....ft.; size at intake, 1 1/4.....in.; size at 2000.....ft. from intake 1 1/4.....in.; size at place of use 1 1/4.....in.; difference in elevation between intake and place of use, 70.....ft. Is grade uniform? No..... Estimated capacity, .25.....sec. ft. Branch line to NE 1/4 of SE 1/4 of Sec. 20, 2 S., 1 E. to be 1 1/4 galv. and at 600 ft. from main line reduced to 1 inch.

8. Location of area to be irrigated, or place of use.....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 South	1 East	21	SE 1/4 of NW 1/4	Domestic only
2 South	1 East	21	NE 1/4 of SW 1/4	" "
2 South	1 East	21	NW 1/4 of SW 1/4	" "
2 South	1 East	20	NE 1/4 of SE 1/4	" "

(If more space required, attach separate sheet)

(a) Character of soil.....

(b) Kind of crops raised.....

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed.....theoretical horsepower.

(b) Quantity of water to be used for power.....sec. ft.

(c) Total fall to be utilized.....feet.
(Head)

(d) The nature of the works by means of which the power is to be developed.....

(e) Such works to be located in.....of Sec.....
(Legal Subdivision)

Tp....., R....., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return.....

....., Sec....., Tp....., R....., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is.....

(i) The nature of the mines to be served.....

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply ~~the city of~~ a number of families in Mossy Brae subdivision in Clackamas County, having a present population of 20 and an estimated population of 50 in 1943

(b) If for domestic use state number of families to be supplied 20

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1500.00
12. Construction work will begin on or before Construction has already begun.
13. Construction work will be completed on or before December 31st, 1943
14. The water will be completely applied to the proposed use on or before Dec. 31st, 1943

THE UNITED STATES NATIONAL BANK OF PORTLAND

(OREGON) (Signature of applicant) Trustee of estate of A. S. PATTULLO, Dec'd.

By M. A. King, Ass't. Trust Officer

Signed in the presence of us as witnesses:

- (1) [Signature] Portland, Oregon (Name) (Address of witness)
(2) [Signature] Portland, Oregon (Name) (Address of witness)

Remarks: Spring is located on Lot 5 of Mossy Brae, which is a community lot dedicated to the use of purchasers within the plat of Mossy Brae. This lot was formerly owned by A. S. Pattullo, deceased, and was deeded to the owners of real property in the plat of Mossy Brae for community purposes to give them access to the Tualatin River for swimming and boating purposes. This permit is sought to protect the rights of these property owners to the source of their water supply. It will later be transferred to the water association in Mossy Brae when it has been duly organized and incorporated.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193....

WITNESS my hand this day of, 193....

STATE ENGINEER

Application No. 19182

Permit No. 14779

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 4th day of March, 1941, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

May 12, 1941

Recorded in book No. 36 of

Permits on page 14779

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 62H

Fees Paid \$10.00

STATE OF OREGON } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.20 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed Spring

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 4, 1941

Actual construction work shall begin on or before May 12, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 12th day of May, 1941

CHAS. E. STRICKLIN

STATE ENGINEER