

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, E. A. and Gladys Harnsberger of Independence, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Slough, a tributary of Rickreall Creek

2. The amount of water which the applicant intends to apply to beneficial use is .36 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 600 ft. South and 800 ft. West from the corner of Section 3 & 10, T. 8 S., R. 4 W.,

being within the NW 1/4 of NE 1/4 of NW 1/4 of Sec. 10, Tp. 8 S., R. 4 W., W. M., in the county of Polk

5. The pipe line to be 500 ft. in length, terminating in the NE 1/4 NW 1/4 of Sec. 10, Tp. 8 S., R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam none required feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 2 1/2" Centrifugal pump - Durant car motor for power - 35 ft. lift.

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 500 ft.; size at intake, 4" in.; size at 500 ft. from intake reduce to 3" in.; size at place of use 2" in.; difference in elevation between intake and place of use, ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 South	4 West	3	SW ¹ / ₄ SW ¹ / ₄	5.0
			SE ¹ / ₄ SW ¹ / ₄	5.0
		10	NW ¹ / ₄ NW ¹ / ₄	1.6
			NE ¹ / ₄ NW ¹ / ₄	13.4
				<u>25.0</u>

(If more space required, attach separate sheet)

(a) Character of soil River Loam

(b) Kind of crops raised Hops and Legume

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.....

(Legal subdivision)

Tp....., R....., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec....., Tp....., R....., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated populatoin of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before Already completed
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before 3 yrs. from approval

E. A. & Gladys Harnsberger
(Signature of applicant)

By Gladys Harnsberger

Signed in the presence of us as witnesses:

(1) Geo. V. Naderman
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 19205

Permit No. 14799

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 13th day of March,

1941, at 8:45 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

May 12, 1941

Recorded in book No. 36 of Permits on page 14799

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 76I

Fees Paid \$9.50

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.32 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed Slough

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 13, 1941

Actual construction work shall begin on or before May 12, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 12th day of May, 1941

CHAS. E. STRICKLIN STATE ENGINEER