

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 14519

To Appropriate the Public Waters of the State of Oregon

I, Ronald M. Ronne (Name of applicant) of Rt. 10, Box 362, Milwaukie (Post office), County of Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.

1. The source of the proposed appropriation is Willamette River (Name of stream), a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1100 ft. N and 2450 ft. W from the SE corner of Sec. 11, T2S, R1E, W. M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 of Sec. 11, Tp. 2S, R. 1E, W. M., in the county of Clackamas (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Main ditch, canal or pipe line to be 400 (Miles or feet) in length, terminating in the of Sec. (Smallest legal subdivision), Tp. (N. or S.) R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

No dam

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction.

rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

30 ft. static head

*A different form of application is provided where storage works are contemplated.

**Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of.....
.....County, having a present population of.....
(Name of)
and an estimated population of.....in 193.....

(b) If for domestic use state number of families to be supplied.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before.....

13. Construction work will be completed on or before.....

14. The water will be completely applied to the proposed use on or before has been
completely applied

Ronald M. Ronne

(Signature of applicant)

Signed in the presence of us as witnesses:

(1)
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before....., 193.....

WITNESS my hand this.....day of....., 193.....

STATE ENGINEER

Application No. 19250

Permit No. 14831

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 8th day of April, 1941, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

May 12, 1941

Recorded in book No. 36 of

Permits on page 14831

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 64A

Fees Paid \$9.50

STATE OF OREGON } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.0125 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Willamette River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 8, 1941

Actual construction work shall begin on or before May 12, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 12th day of May, 1941

CHA. E. STRICKLIN

STATE ENGINEER