

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 14520

To Appropriate the Public Waters of the State of Oregon

I, Silver Lake Ditch Company, a corporation (Name of applicant) of Joseph (Post office), County of Wallowa, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Incorporated under the laws of the State of Oregon 1892

1. The source of the proposed appropriation is Little Sheep Creek and McCully Creek (Name of stream) both, a tributary of Innaha River

2. The amount of water which the applicant intends to apply to beneficial use is 60 cubic feet per second. 20 sec. ft. from Little Sheep Creek and 40 Sec. ft. from McCully Creek (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 300 ft. east and 200 ft. north from the SW corner of SE 1/4 Sec. 4., Twp. 4 S., R. 46 where the ditch of the Wallowa Valley Improvement District No. 1 crosses Little Sheep Creek, and about 600 feet South and 250 feet west from the Northeast corner of the south west quarter of north east quarter of Section 19, Twp. 3 S., R. 46 E., W. M. where the said canal crosses McCully Creek (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 of Sec. 4, Tp. 4 S., R. 46, W. M., in the county of Wallowa, and in the SW 1/4 NE 1/4, Sec. 19, Twp. 3 S., R. 46 E., W. M. in Wallowa County, Oregon

5. The Main Canal to be six in length, terminating in the SE 1/4 of Sec. 14, Tp. 3 S., 45 and in the SW 1/4 Sec. 18, Twp. 3 S., 46 E., W. M., R. 46 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate a headgate will be constructed where the said canal crosses McCully Creek. This will be 16 ft. long, 5 feet high and 12 feet wide. (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 12 feet; width on bottom 10 feet; depth of water 4 feet; grade 10 1/2 feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... ft.; size at intake, ... in.; size at ... ft. from intake ... in.; size at place of use ... in.; difference in elevation between intake and place of use, ... ft. Is grade uniform? ... Estimated capacity, ... sec. ft.

8. Location of area to be irrigated, or place of use irrigation 1542.

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Contains the text 'SEE SEPARATE SHEET' in the Range and Section columns.

(If more space required, attach separate sheet)

(a) Character of soil loam and gravel

(b) Kind of crops raised hay, grains, pasture crops.

Power or Mining Purposes—

9. (a) Total amount of power to be developed ... theoretical horsepower.

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized ... feet. (Head)

(d) The nature of the works by means of which the power is to be developed ...

(e) Such works to be located in ... of Sec. ... (Legal subdivision)

Tp. ..., R. ..., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ... (Yes or No)

(g) If so, name stream and locate point of return ...

..., Sec. ..., Tp. ..., R. ..., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is ...

(i) The nature of the mines to be served ...

No. 8.

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S.	45	1	NW $\frac{1}{4}$ NW $\frac{1}{4}$	3.5
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	13.0
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	12.5
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	35.0
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	37.0
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	28.0
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	1.0
		12	NW $\frac{1}{4}$ NE $\frac{1}{4}$	5.0
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	18.5
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	40.0
NW $\frac{1}{4}$ NW $\frac{1}{4}$	40.0			
SW $\frac{1}{4}$ NW $\frac{1}{4}$	40.0			
SE $\frac{1}{4}$ NW $\frac{1}{4}$	40.0			
NE $\frac{1}{4}$ SW $\frac{1}{4}$	40.0			
NW $\frac{1}{4}$ SW $\frac{1}{4}$	29.5			
SW $\frac{1}{4}$ SW $\frac{1}{4}$	21.0			
SE $\frac{1}{4}$ SW $\frac{1}{4}$	37.5			
NW $\frac{1}{4}$ SE $\frac{1}{4}$	18.5			
SW $\frac{1}{4}$ SE $\frac{1}{4}$	18.0			
13	NE $\frac{1}{4}$ NE $\frac{1}{4}$	10.0		
	NW $\frac{1}{4}$ NE $\frac{1}{4}$	20.0		
	SE $\frac{1}{4}$ NE $\frac{1}{4}$	6.5		
	NE $\frac{1}{4}$ NW $\frac{1}{4}$	18.0		
	NW $\frac{1}{4}$ NW $\frac{1}{4}$	16.5		
	SW $\frac{1}{4}$ NW $\frac{1}{4}$	21.5		
	SE $\frac{1}{4}$ NW $\frac{1}{4}$	16.0		
	NE $\frac{1}{4}$ SW $\frac{1}{4}$	9.0		
	NW $\frac{1}{4}$ SW $\frac{1}{4}$	40.0		
	SW $\frac{1}{4}$ SW $\frac{1}{4}$	40.0		
SE $\frac{1}{4}$ SW $\frac{1}{4}$	10.0			
23	SE $\frac{1}{4}$ NE $\frac{1}{4}$	19.5		
	NE $\frac{1}{4}$ SE $\frac{1}{4}$	40.0		
	SE $\frac{1}{4}$ SE $\frac{1}{4}$	32.0		
24	NE $\frac{1}{4}$ NW $\frac{1}{4}$	30.0		
	NW $\frac{1}{4}$ NW $\frac{1}{4}$	38.0		
	SW $\frac{1}{4}$ NW $\frac{1}{4}$	40.0		
	SE $\frac{1}{4}$ NW $\frac{1}{4}$	36.0		
	NE $\frac{1}{4}$ SW $\frac{1}{4}$	35.0		
	NW $\frac{1}{4}$ SW $\frac{1}{4}$	40.0		
	SW $\frac{1}{4}$ SW $\frac{1}{4}$	40.0		
SE $\frac{1}{4}$ SW $\frac{1}{4}$	17.5			
25	NE $\frac{1}{4}$ NW $\frac{1}{4}$	17.0		
	NW $\frac{1}{4}$ NW $\frac{1}{4}$	40.0		
	SW $\frac{1}{4}$ NW $\frac{1}{4}$	37.5		
	SE $\frac{1}{4}$ NW $\frac{1}{4}$	22.0		
	NE $\frac{1}{4}$ SW $\frac{1}{4}$	39.0		
	NW $\frac{1}{4}$ SW $\frac{1}{4}$	40.0		
	SW $\frac{1}{4}$ SW $\frac{1}{4}$	40.0		
SE $\frac{1}{4}$ SW $\frac{1}{4}$	40.0			

No. 8 cont'd

Township	Range	Section	Forty-acre Tract	Number acres To be Irrigated		
2 S	45	26	NE $\frac{1}{4}$ NE $\frac{1}{4}$	40.0		
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	15.0		
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	5.0		
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	17.0		
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	20.0		
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	6.0		
		36	NE $\frac{1}{4}$ NW $\frac{1}{4}$	40.0		
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	20.0		
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	20.0		
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	30.0		
					Total	<u>1542.0</u>

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200.00

12. Construction work will begin on or before April 1, 1936

13. Construction work will be completed on or before May 15, 1936

14. The water will be completely applied to the proposed use on or before Sept. 30, 1936

Silver Lake Ditch Company

(Signature of applicant)

By Max Wilson, Secretary

Signed in the presence of us as witnesses:

(1) Lena Turner, (Name) (Address of witness)

(2) Hazel G. Farrell, (Name) (Address of witness)

Remarks:

This application covers waters now permitted to flow into the Imnaha River through Little Sheep Creek and McCully Creek until the lands within the Wallowa Valley Improvement District are ready to use the water for irrigation. The lands served by the applicant lie at lower levels and can use this water about three weeks before the lands within the said District can use it. Arrangements have been made with the said District to use its main canal and certain laterals to carry this water to the ditch of applicant and thence to the lands to be served until the water can be used by the said District. The applicant is to clean out certain of the laterals and to construct a diversion headgate where the canal crosses McCully Creek, one of the points of diversion.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 17, 41, March 28, 1936.
WITNESS my hand this 17th day of December, 1936

CHAS. E. STRICKLIN
STATE ENGINEER

LN
LH

Application No. 16261

Permit No. 14838

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 26th day of February, 1941 at 9:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 12, 1941

Recorded in book No. 36 of Permits on page 14838

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 8 Page 25 & 26

Fees Paid \$70.42

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 57.83 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Little Sheep Creek and McCully Creek, being 19.28 s.f. from Little Sheep Creek and 38.55 s.f. from McCully Cr.

The use to which this water is to be applied is Irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 3/80ths of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1 1/2 acre feet per acre for each acre irrigated during any 30-day period during the irrigation season from April 1, to October 15, of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 5, 1941

Actual construction work shall begin on or before June 12, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 12th day of June, 1941.

CHAS. E. STRICKLIN

STATE ENGINEER