

CERTIFICATE NO. 14699

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Wm. F. Spratling (Name of applicant) of Grants Pass (Post office), County of Josephine, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Baum Slough (Name of stream), a tributary of Applegate

2. The amount of water which the applicant intends to apply to beneficial use is 1.19 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is 4 acres irrigation and 91 acres Supplementary Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 290 ft. S and 500 ft. E from the E 1/4 corner of Sec. 31 (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW 1/4 SW 1/4 of Sec. 32, Tp. 36 S (N. or S.) R. 6 W, W. M., in the county of Josephine (E. or W.)

5. The ditch to be 1/2 mile (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SW 1/4 SE 1/4 of Sec. 31, Tp. 36 S (Smallest legal subdivision) (N. or S.) R. 6 W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3' feet, length on top 18' feet, length at bottom 18' feet; material to be used and character of construction Concrete Waterway over (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber one opening 2' x 3' (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6' feet; width on bottom 4' feet; depth of water 3' feet; grade 1/2' feet fall per one thousand feet.

(b) At 500 feet miles from headgate: width on top (at water line) 1.6 feet; width on bottom 1.6 feet; depth of water 1.6 feet; grade 0.5 feet fall per one thousand feet. thence to ditch of equal capacity.

(c) Length of pipe, ft.; size at intake, in.; size at from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use 95

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S	6 W	31	SE 1/4 of NE 1/4	2 (Supplemental)
"	"	"	SW 1/4 of NE 1/4	13 Supplemental Irri.
"	"	"	NE 1/4 of SE 1/4	33 " "
"	"	"	SW 1/4 of SE 1/4	10 " "
"	"	"	NW 1/4 of SE 1/4	33 " "
36 S	6 W	31	NE 1/4 of SE 1/4	4 (not supplementary)

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised Alfalfa, pasture etc

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. (No. N. or S.), Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 350.00

12. Construction work will begin on or before June 29, 1940

13. Construction work will be completed on or before June 29, 1941

14. The water will be completely applied to the proposed use on or before June 29, 1941

Wm. F. Spratling

(Signature of applicant)

Rt. # 2, Box 652

Grants Pass

Signed in the presence of us as witnesses:

(1) Mary E. Baum Grants Pass, Ore
(Name) (Address of witness)

(2) R. R. Matney " "
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 18819

Permit No. 14841

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 29th day of June, 1940, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 12, 1941

Recorded in book No. 36 of

Permits on page 14841

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 16 a

Fees Paid 19.25

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.19 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Baum Slough

The use to which this water is to be applied is Irrigation and Supplemental Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre-feet per acre for each acre irrigated during the irrigation season from April 2 to October 31 of each year. This appropriation shall be still further limited to water which cannot be applied to beneficial use by the Grants Pass Irrigation District under rights initiated prior to the date of this application, and no right is herein granted which shall ever in anywise or in any degree derogate from the priorities and rights of said district under its said prior appropriation,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 29, 1940

Actual construction work shall begin on or before June 12, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 12th day of June, 1941.

CHAS. E. STRICKLIN

STATE ENGINEER