CERTIFICATE NO. 14030

To Appropriate the Public Waters of the State of Oregon

* APPLICATION FOR A PERMIT

State of Oregon , do hereby make application for a permit to appropriate following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation No. 1. The source of the proposed appropriation is Waste mater from irrigation lands [2] SE2 of Sec. 14, T. 1 N., R. 42 E., A., draining into unmaned natural., a tributary of Mellows River hannel 2. The amount of water which the applicant intends to apply to beneficial use is 0.025. Cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Irrigation, power, mining, manufacturing, domestic supplication of diversion is located ft. South and 1100 ft West. from the (K. or W.) 4. The point of diversion is located ft South and 1100 ft West. from the (K. or W.) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the (K. or W.) (The condition of the condit		I, C. E. Fisher & Orville McKenzie (Name of applicant)	I,	
State of				of
If the applicant is a corporation, give date and place of incorporation No. 1. The source of the proposed appropriation is Naste water from irrigation lands SEA of Sec. 14, 7.1 N., R. 42 E., M. draining into unmaned natural, a tributary of Nallowa River hannel 2. The amount of water which the applicant intends to apply to beneficial use is0.025 cubic feet per second. (It water is to be used from more than one source, give quantity from such) **3. The use to which the water is to be applied is				,
If the applicant is a corporation, give date and place of incorporation No 1. The source of the proposed appropriation is Waste water from irrigation lands (None of Stram) 1. The source of the proposed appropriation is Naste water from irrigation lands (None of Stram) 1. The source of the proposed appropriation is Naste water from irrigation lands (None of Stram) 1. The source of the proposed appropriation is Naste water from irrigation lands (None of Stram) 1. The source of the proposed appropriation is Naste water from irrigation lands 2. The amount of water which the applicant intends to apply to beneficial use is .0.025 1. The amount of water which the applicant intends to apply to beneficial use is .0.025 1. The use to which the water is to be applied is Irrigation, power, mining, manufacturing, domestic supplication of the second of the source of It is not the corner of West from the (It is a south and Illow fit. West from the (It is a south and Illow fit. West from the (It is a south and Illow fit. West from the (It is a south and Illow fit. West from the (It is a south and Illow fit West from the (It is a south and Illow fit West from the (It is a south and Illow fit (It is a south and Illow fit Illow fit (It is a south and Illow fit Illow fit (It is a south and	opriate ine	e of, ao nereoy make application	ој	state
1. The source of the proposed appropriation is Waste water from irrigation lands \$\frac{1}{2}\text{ SE}_4^2\$ of Sec. 14, T. 1 N., R. 42 E., M. Arthing into unmaned natural, a tributary of Wallows Rivername 1. 2. The amount of water which the applicant intends to apply to beneficial use is 0.025. Table feet per second	:	owing described public waters of the State of Oregon, SUBJECT TO E	ving d	ollor
A. draining into unnamed natural , a tributary of Wellows River hannel 2. The amount of water which the applicant intends to apply to beneficial use isO.025. cubic feet per second. **3. The use to which the water is to be applied is Irrigation, ower, mining, manufacturing, domestic supply 4. The point of diversion is located 5 ft. South and 1100 ft. West from the Corner of Section 14, (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each most be described. The separate sheet if necessary) being within the NEA SEA Office of Sec. 14 , Tp. 1.N. (No. or Co. w.) (If there is more than one point of diversion, each most be described. The separate sheet if necessary) being within the NEA SEA Office amalies tegal subdivision) 7. The No. or Co. w.) 5. The Main Ditch to be 700 feet (Montation, canal or pipe line) (Miles or feet) in length, terminating in the SEA NEA (Smallest legal subdivision) of Sec. 14 , Tp. 1.1 (Miles or feet) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2 feet, length on top 8 feet, length at 6 feet; material to be used and character of construction Liumber & dirt placed (Loose rock, concered and brush, under orth, etc., wasteway over or around dam) (b) Description of headgate (Tumber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)		If the applicant is a corporation, give date and place of incorporation	If th	
Cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is		$SE_{\frac{1}{4}}$ of Sec. 14, T. 1 N., R. 42 E., draining into unnamed natural , a tributary of Wallowa Runel	E4 of drain el	
**3. The use to which the water is to be applied is	25			
**3. The use to which the water is to be applied is		ic feet per second.	feet 1	cubic
4. The point of diversion is located 5 ft. South and 1100 ft. West from the CN or S.) (Bection or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NEG SEG Office smallest legal subdivision) R. 42 E. , W. M., in the county of Neallows. (Co or W.) 5. The Main Ditch (Main ditch, canal or pipe line) in length, terminating in the SEG NEG (Smallest legal subdivision) R. 42 E. , W. M., the proposed location being shown throughout on the accompanying material to be used and character of construction Liumber & dirt. placed (Loses rock, concrete across channel at beginning of each irrigation season (b) Description of headgate (Colored and type of pump) (c) If water is to be pumped give general description (Size and type of pump)				
4. The point of diversion is located 5 ft. South and 1100 ft. West from the corner of Section 14., (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE4 SE4 of Sec. 14 , Tp. 1 N. (N. or R. 42 E. , W. M., in the county of Neallows. (Give smallest legal subdivision) 5. The Main Ditch of Neallows. (Miles or feet) in length, terminating in the SE4 NE4 (Smallest legal subdivision) R. 42 E. , W. M., the proposed location being shown throughout on the accompanying marks. (R. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2 feet, length on top 8 feet, length at 6 feet; material to be used and character of construction Lumber & dirt placed (Leose rock, concrease channel at beginning of each irrigation season rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	upplies, etc.)	•		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE4 SE4 Of Sec. 14 , Tp. 1 N. (N. or R. 42 Ea. , W. M., in the county of Wallowa (E. or W.) 5. The Main Ditch (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SE4 NE4 (Smallest legal subdivision) of Sec. 14 , Tp. 1 N. (N. or R. 42 Ea. , W. M., the proposed location being shown throughout on the accompanying material (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2 feet, length on top 8 feet, length at 6 feet; material to be used and character of construction Lumber & dirt. placed (Loose rock, concrete, across channel at beginning of each irrigation season rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	he E		4. T	
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NEA SEA OF Sec. 14 , Tp. 1 N. (N. or R. 42 Es. , W. M., in the county of Neallowa. (E. or W.) 5. The Main Ditch (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SEA NEA (Smallest legal subdivision) of Sec. 14 , Tp. 1 N. (N. or R. 42 Es. , W. M., the proposed location being shown throughout on the accompanying main main section works— (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2 feet, length on top 8 feet, length at 6 feet; material to be used and character of construction Lumber & dirt placed (Loose rock, concrease across channel at beginning of each irrigation season rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)		ner of Section 14, (Section or subdivision)	r of .	corne
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NEA SEA Of Sec. 14 Tp. 1 N. (N. or R. 42 Es. , W. M., in the county of Wallowa (E. or w.) 5. The Main Ditch to be 700 feet (Main ditch, canal or pipe line) in length, terminating in the SEA NEA (Similar legal subdivision) R. 42 E. , W. M., the proposed location being shown throughout on the accompanying mode (E. or w.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2 feet, length on top 8 feet, length at 6 feet; material to be used and character of construction Lumber & dirt. placed (Loose rock, concrease of the construction of headgate (Construction feet, number and size of openings) (b) Description of headgate (Timber, concrete, etc., number and size of openings)				
theing within the NE4 SE4 Of Sec. 14 , Tp. 1 No. (R. or w.) R. 42 E2 Of W. M., in the county of Wallowa (E. or w.) 5. The Main Ditch (Miles or feet) (Miles or feet) (Smallest legal subdivision) 6. (a) Height of dam 2 feet, length on top 8 feet, length at 6 feet; material to be used and character of construction Lumber & dirt placed (Loose rock, concrete, etc., number and size of openings) (b) Description of headgate (C) If water is to be pumped give general description (Size and type of pump)				
R. 42 Es , W. M., in the county of Wallowa (E or W.) 5. The Main Ditch to be 700 feet (Miles or feet) (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SEA NEA (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) of Sec. 14 , Tp. 1 l. (N. o. R. 42 E. , W. M., the proposed location being shown throughout on the accompanying main (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2 feet, length on top 8 feet, length at 6 feet; material to be used and character of construction Limber & dirt. placed (Loose rock, concrease of the concrete o		(If there is more than one point of diversion, each must be described. Use separate si		
(Main Ditch to be 700 feet (Miles or feet) In length, terminating in the SE4 NE4 (Smallest legal subdivision) R. 42 E. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2 feet, length on top 8 feet, length at 6 feet; material to be used and character of construction Lumber & dirt placed (Loose rock, concretand brush, tumber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	(N. or S.)	$ \text{NE}_{\overline{4}} = SE_{\overline{4}} \qquad \text{of Sec.} \qquad 1 $ (Give smallest legal subdivision)	, with	being
in length, terminating in the SEA NEA (Smallest legal subdivision) R. 42 E. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2 feet, length on top 8 feet, length at 6 feet; material to be used and character of construction Lumber & dirt placed (Loose rock, concrease across channel at beginning of each irrigation season rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)		42 E. , W. M., in the county of	42 (E. o	R
in length, terminating in the SEA NEA (Smallest legal subdivision) R. 42 E. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 2 feet, length on top 8 feet, length at 6 feet; material to be used and character of construction Lumber & dirt placed (Loose rock, concreact and brush, Umber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	¿	5. The Main Ditch to be (Main ditch, canal or pipe line)	5. T	
R				in le1
Diversion Works— 6. (a) Height of dam 2	map.	(Smallest legal subdivision) 42 E. W. M., the proposed location being shown throughout of (E. or W.)	42 Œ. o	R
6. (a) Height of dam 2feet, length on top 8feet, length at 6 feet; material to be used and character of construction & dirt_placed (Loose rock, concretances channel at beginning of each irrigation season rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)		DESCRIPTION OF WORKS		
6 feet; material to be used and character of construction Lumber & dirt placed (Loose rock, concre across channel at beginning of each irrigation season rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate		version Works—	rsion	Dive
(Loose rock, concre across channel at beginning of each irrigation season rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	h at botton	6. (a) Height of dam 2 feet, length on top8	6. (
across channel at beginning of each irrigation season rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	ed	6 feet; material to be used and character of constructionLu	6	
(c) If water is to be pumped give general description(Size and type of pump)				
		(b) Description of headgate(Timber, concrete, etc., number	(b)	
		(c) If water is to be pumped give general description	(c)	
(size and type of engine of motor to be used, total need water is to be lifted, etc.)		(Size and type of engine or motor to be used, total head water is to be lif		

^{*} A different form of application is provided where storage works are contemplated

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-

gate. At he	eadgate: width o	n top (at wate	er line)2	feet; width on b
sand feet.				7 feet fall p
(b) At		miles from	headgate: width on top (a	ıt water line)
	feet; width	on bottom	feet; dept	h of water
e	j	eet fall per or	ne thousand feet.	
(c) Leng	th of pipe,		ft.; size at intake,	in.; size at
intake	in	a.; size at place	e of use i	n.; difference in elevation be
ce and plac	e of use,	ft.	Is grade uniform?	Estimated cap
	sec. ft.			
8. Locati	on of area to be	irrigated, or	place of use1	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
	42 E.	14	SEL NE	1 (One)
			West of Block 17	
	,		West 2 of Block 18	3
l				
				
		<u> </u>	pace required, attach separate sheet)	
(a) Char	racter of soil			
			, p.	
	ng Purposes— otal amount of 1	oower to be d	eveloped	theoretical horse
			for power	
		_	(Head)	•
			, ,	is to be developed
(4) 1	ne navare of in	e works og m	cans of which the power	
(a) S	wah wanka ta he	loggted in		of Saa
				of Sec
•	, R(No	,		
			stream?(Yes or No)	
		, Sec.	, Tp(No. N.	or S.) (No. E. or W.)
(h) T	he use to which	power is to l	be applied is	

Municipal or Domestic Supply—	
10. (a) To supply the city of	
County, having a pre	esent population of
and an estimated population of	in 19
(b) If for domestic use state number o	of families to be supplied
(Answer question	s 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	
12. Construction work will begin on or bef	fore
13. Construction work will be completed of	on or beforeCompleted
14. The water will be completely applied	to the proposed use on or beforeCompletely
applied	
	C E Etaban
	C. E. Fisher (Signature of applicant)
	O. W. McKenzie
Signed in the presence of us as witnesses:	
(1) J. O. Kiddle (Name)	, Wallowa, Oregon (Address of Witness)
	(Address of witness)
(Maine)	(Address of Witness)
Remarks:	
STATE OF OREGON,	
County of Marion,)	
	foregoing application, together with the accompanying
maps and data, and return the same for	,
In order to retain its priority, this appl	lication must be returned to the State Engineer, with
corrections on or before	
WITNESS my hand this da	y of, 194
	DELAMER ENVOITABLE
	STATE ENGINEER

Application No.	19261
Permit No	14860
PER TO APPROPRIATE WATERS OF OF OR	TE THE PUBLIC THE STATE

	Division No District No	
,	This instrument was first received in the office of the State Engineer at Salem, Oregon	
	on the 2nd day of April ,	
	194 1 , at 8:00 o'clock A. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	June 12, 1941	
	Recorded in book No. 36 of	
	Permits on page14860	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No. 8 Page 36	
	Fees Paid\$950	
STATE OF OREGON	PERMIT	
County of Marion,		
This is to certify th SUBJECT TO EXISTING	at I have examined the foregoing application and do hereby grant the same, RIGHTS and the following limitations and conditions:	
The right herein gr	anted is limited to the amount of water which can be applied to beneficial use	
and shall not exceed	0.025 cubic feet per second measured at the point of diversion from the	
stream, or its equivalent in rigation lands in the to unnamed natural cha	n case of rotation with other water users, from Waste Water from ir- NET SET of Section 14, T. 1 N., R. 42 E., W. M. draining into nnel.	
	is water is to be applied isIrrigation	
	·	
If for irrigation, thi	s appropriation shall be limited to 	
of not to exceed 1 ac irrigation season end	not to exceed $1\frac{1}{2}$ acre feet per acre for each acre irrigated dur m May 1, to July 31, and thereafter shall be limited to a divers re foot per acre for each acre irrigated during the remainder of ing October 1, and shall also be limited to the water available diversion and shall not carry with it the right to compel the water,	the
and shall be subject to su	ch reasonable rotation system as may be ordered by the proper state officer.	
The priority date of	this permit is April 2, 1941	
Actual construction	work shall begin on or beforeJune 12, 1942 and shall	
thereafter be prosecuted	with reasonable diligence and be completed on or before	
October 1, 1943		
	on of the water to the proposed use shall be made on or before	
	l this, 12th day of, 1941	
"" I I I I I I I I I I I I I I I I I I	, 10 1	

CHAS. E. STRICKLIN

STATE ENGINEER