

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Reed G. White (Name of applicant) of 200 Radcliff Drive - Salem (Post office), County of Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream, a tributary of Pringle Creek (Name of stream), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 25 ft. N and 500 ft. W from the SE corner of Sec. 34 T. 7 S R. 3 W W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 13 Blk 9 Morningside Addn in / of Sec. 34, Tp. 7 S R. 3 W, W. M., in the county of Marion (Give smallest legal subdivision)

5. The Pipe to be 50 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the of Sec. 34, Tp. 7 S R. 3 W, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 8 feet, length at bottom 4 feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 cent. (Size and type of pump) 1/2 H. P. elec motor 7 ft. static head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Application No. 19301

Permit No. 14887

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 25th day of April 1941, at 11:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 12, 1941

Recorded in book No. 36 of

Permits on page 14887

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 76 J

Fees Paid \$9.50

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.0125 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed Stream

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 25, 1941

Actual construction work shall begin on or before June 12, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 12th day of June, 1941

CHAS. E. STRICKLIN

STATE ENGINEER