

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Thomas Mitchell (Name of applicant)
of c/o H. A. Dryer, 603 Couch Bldg., Portland (Post office), County of
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is N. Fork Yamhill River (Name of stream)
Yamhill River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1.75
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
corner of Any point where N. Fork Yamhill R. touches applicant's property in SW 1/4 SW 1/4,
SE 1/4 SW 1/4 and SW 1/4 SE 1/4, Section 28, and NW 1/4 NW 1/4, Section 33, T. 3 S., R. 4 W., W. M.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. , Tp. ,
R. , W. M., in the county of Yamhill

5. The to be
in length, terminating in the of Sec. , Tp. ,
R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— No Dam

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)
15 H.P. electric motor
30 ft. static head

will probably use 40 sprinklers - 24 g.p.m. each

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-
electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3000 ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use 140 acres

| Township | Range | Section | Forty-acre Tract | Number Acres To Be Irrigated | | |
|----------|--------|---------|-----------------------------------|------------------------------|--|--|
| 3 South | 4 West | 27 | SW $\frac{1}{4}$ SW $\frac{1}{4}$ | 21.3 | | |
| | | | SW $\frac{1}{4}$ SW $\frac{1}{4}$ | 1.1 | | |
| | | | SE $\frac{1}{4}$ SW $\frac{1}{4}$ | 18.9 | | |
| | | | SW $\frac{1}{4}$ SE $\frac{1}{4}$ | 37.4 | | |
| | | 33 | SE $\frac{1}{4}$ SE $\frac{1}{4}$ | 37.6 | | |
| | | | NE $\frac{1}{4}$ NE $\frac{1}{4}$ | 6.4 | | |
| | | | NW $\frac{1}{4}$ NE $\frac{1}{4}$ | 6.2 | | |
| | | | NE $\frac{1}{4}$ NW $\frac{1}{4}$ | 6.0 | | |
| | | | NW $\frac{1}{4}$ NW $\frac{1}{4}$ | 1.5 | | |
| | | | NW $\frac{1}{4}$ NW $\frac{1}{4}$ | 3.6 | | |
| | | 34 | All being within Jas. Ramage DLC | | | |

(If more space required, attach separate sheet)

(a) Character of soil Willamette Silt Loam & Chehalis

(b) Kind of crops raised General farm crops and pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$...2500.00.....
- 12. Construction work will begin on or before One year after approval.....
- 13. Construction work will be completed on or before Two years after approval.....
- 14. The water will be completely applied to the proposed use on or before Three years after approval.....

Thomas Mitchell
(Signature of applicant)

By H. A. Dryer, Manager

Signed in the presence of us as witnesses:

- (1)
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19302

Permit No. 14888

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 25th day of April 1941, at 2:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 12, 1941

Recorded in book No. 36 of

Permits on page 14888

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 90H

Fees Paid \$22.00

STATE OF OREGON

PERMIT

County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.75 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

North Fork Yamhill River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 25, 1941

Actual construction work shall begin on or before June 12, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1943 Extended to Oct. 1, 1946 Extended to Oct. 1, 1947

Complete application of the water to the proposed use shall be made on or before

October 1, 1944 Extended to Oct. 1, 1946 Extended to Oct. 1, 1947

WITNESS my hand this 12th day of June, 1941

CHAS. E. STRICKLIN STATE ENGINEER