

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, E. G. Calkins (Name of applicant) of Otis (Post office), County of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Calkins Creek (Name of stream), a tributary of Salmon River

2. The amount of water which the applicant intends to apply to beneficial use is 0.20 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 30 ft. South and 2650 ft. West from the E4 corner of Section 24, T. 6 S., R. 11 W., W. M., (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 19 (NW SE) of Sec. 24, Tp. 6 S., R. 11 W., W. M., in the county of Lincoln (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe (Main ditch, canal or pipe line) to be 2600 ft. (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.) R. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 15 feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gravity flow (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ... 20

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2000.00

12. Construction work will begin on or before Work has been commenced

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

E. G. Calkins
(Signature of applicant)

Signed in the presence of us as witnesses:

(1)
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19304

Permit No. 14890

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 28th day of April, 1941, at 10:15 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 12, 1941

Recorded in book No. 36 of

Permits on page 14890

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 18 Page 15

Fees Paid \$10.00

STATE OF OREGON

County of Marion,

} ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.20 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Calkins Creek

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 28, 1941

Actual construction work shall begin on or before June 12, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 12th day of June, 1941

CHAS. E. STRICKLIN

STATE ENGINEER