

CERTIFICATE NO. 15132

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, E. C. Sammons (Name of applicant)
 of 4784 S. E. 17th Avenue, Portland (Post office), County of Multnomah,
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette (Name of stream)
 a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is
60 gallons per minute cubic feet per second.
 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation, overhead sprinkler
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 775 ft. South and 2360 ft. West from the NE
 corner of Section 6, T. 4 S., R. 1 W., W.M. See map attached
 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the (NW 1/4 NE 1/4) of Sec. 6, Tp. 4 S.,
 (Give smallest legal subdivision) (N. or S.)
R. 1 W., W. M., in the county of Yamhill in Jos. C. Gear DLC
 (E. or W.)

5. The to be
 (Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the of Sec. , Tp. ,
 (Smallest legal subdivision) (N. or S.)
R., W. M., the proposed location being shown throughout on the accompanying map.
 (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
 feet; material to be used and character of construction
 (Loose rock, concrete, masonry,
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
 (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
 (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
 County, having a present population of
 (Name of)
 and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 600.00
12. Construction work will begin on or before May 15, 1941
13. Construction work will be completed on or before May 25, 1941
14. The water will be completely applied to the proposed use on or before

E. C. Sammons

(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) H. M. Stiles 1414 S. E. Spokane St.
 (Name) (Address of witness)
- (2) Roberta G. Jones 4784 S. E. 17th, Portland, Ore.
 (Name) (Address of witness)

That portion of the following described property, to-wit:

All of the East half of the following parcels of land situate and lying in Yamhill and Clackamas Counties, State of Oregon, and being a part of the J. C. Geer Donation Land Claim, Notification No. 1090, Claim No. 37 in T. 3 S., R. 1 W. and Claim No. 38 in T. 4 S., R. 1 W. of the Willamette Meridian in Yamhill and Clackamas Counties Oregon and beginning at an iron pipe 1½" by 36" set on North line of dower as set off in Yamhill County Survey No. 1624, said point being 52.32 chains South 33° 15' East and North 56° East 19.215 chains from the NW corner of said Geer DLC; thence North 56° East along the North line of the said dower 11.83 chains set iron bolt 1" by 30" and marked a fir 30" in diameter bears South 11° 45' East 45 links; thence South 33° 15' East parallel to West line of said dower 30.326 chains set iron bar 1" square 24" long for witness corner, from which a black walnut 30" in diameter bears North 34° East 99½ links, 33.248 chains to waters edge on North bank of the Willamette River; thence up stream on left bank of river South 52° 48' West 5.647 chains; South 45° 01' West 6.187 chains; South 46° 05' West 0.137 chains, S. W. corner of this tract and S. E. corner 30.00 acre tract; thence North 33° 15' West parallel to West line of said dower on top of bank set iron pipe 1½" x 24" for line from which a maple 8" diameter bears South 24° 20' West 8½ links, 34.764 chains to beginning.

STATE OF OREGON, }
 County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 6, 1941, 194

WITNESS my hand this 7th day of May, 1941

CHAS. E. STRICKLIN

LD

STATE ENGINEER

Application No. 19319

Permit No. 14901

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 5th day of May
1941, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 12, 1941

Recorded in book No. 36 of

Permits on page 14901

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 64A

Fees Paid \$9.50

STATE OF OREGON

County of Marion,

PERMIT

} ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from

Willamette River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 5, 1941

Actual construction work shall begin on or before June 12, 1942 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1943

Complete application of the water to the proposed use shall be made on or before
October 1, 1944

WITNESS my hand this 12th day of June, 1941

CHAS. E. STRICKLIN
STATE ENGINEER