

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 14589

To appropriate the Public Waters of the State of Oregon

I, Francis P. Salter (Name of applicant) of Prospect (Post office), County of Jackson, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Mill Creek (Name of stream), a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.11 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic and community bath house. (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 0.09 c.f.s. for 9 families; 0.02 c.f.s. for community bath house.

4. The point of diversion is located 1155 ft. N. and 650 ft. E. from the NE corner of Section 32. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SW 1/4 of Sec. 28, Tp. 32 S. R. 3 E., W. M., in the county of Jackson

5. The McCall Ditch to be 1 mile in length, terminating in the NW 1/4 NE 1/4 of Sec. 32, Tp. 32 S. R. 3 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2.0 feet, length on top 12 feet, length at bottom 12 feet; material to be used and character of construction logs and dirt. This is an old wing dam constructed by McCall.

(b) Description of headgate direct.

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2. feet; width on bottom 1. feet; depth of water 1. feet; grade 2 feet fall per one thousand feet.

(b) At 1/2 miles from headgate: width on top (at water line) 2. feet; width on bottom 1 feet; depth of water 1. feet; grade 1 feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 32 S., 3 E., 32, NW 1/4 NE 1/4, Domestic & Bath House.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 9 and bath house
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 250.00
- 12. Construction work will begin on or before 1 year from date of priority
- 13. Construction work will be completed on or before two years from date of priority
- 14. The water will be completely applied to the proposed use on or before three years from date of priority

Francis P. Salter
(Signature of applicant)
Prospect, Oregon

Signed in the presence of us as witnesses:

- (1) Clinton A. Smith, Court House, Medford, Oregon
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 6, 1941, 194

WITNESS my hand this 7th day of May, 1941.

CHAS. E. STRICKLIN
STATE ENGINEER
LD

Application No. 19320

Permit No. 14902

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 5th day of May 1941, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 12, 1941

Recorded in book No. 36 of Permits on page 14902

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 78

Fees Paid \$10.00

STATE OF OREGON

County of Marion,

ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.11 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Mill Creek

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 5, 1941

Actual construction work shall begin on or before June 12, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943 Extended to Oct. 1, 1944

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 12th day of June, 1941

CHAS. E. STRICKLIN STATE ENGINEER