

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2500 ft.; size at intake, 4" in.; size at 1000' ft. from intake 6 in.; size at place of use 4", 33 in.; difference in elevation between intake and place of use, 45' ft. Is grade uniform? No Estimated capacity, .75 sec. ft. Portable sprinkler pipe.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Rows include 1 S 3 W 12 NW 1/4 NE 1/4 (10 acres), 1 S 3 W 12 NW 1/4 NW 1/4 (20 acres), 1 S 3 W 12 NE 1/4 NW 1/4 (20 acres), and a total of 50 acres.

(If more space required, attach separate sheet)

(a) Character of soil Chehalis Silt Loam

(b) Kind of crops raised Ladino clover pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before June 1, 1942.....

13. Construction work will be completed on or before Pumping plan installed by July 1, 1942.....

14. The water will be completely applied to the proposed use on or before

Robert H. Sterling

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) D. B. DeLoach, Corvallis, Oregon

(Name)

(Address of witness)

(2) Carl W. Schloeman, Corvallis, Oregon

(Name)

(Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19414.....

Permit No. 14968.....

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 18th..... day of July.....
1941., at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

September 15, 1941

Recorded in book No. 36..... of

Permits on page 14968.....

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2..... Page 62-H

Fees Paid \$12.50.....

STATE OF OREGON

PERMIT

County of Marion,

} ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.63..... cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from

Dairy Creek

The use to which this water is to be applied is Irrigation.....

If for irrigation, this appropriation shall be limited to 1/80th..... of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 18, 1941.....

Actual construction work shall begin on or before September 15, 1942..... and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1943 Extended to Oct. 1, 1945 Extended to Oct. 1, 1949
Extended to Oct. 1, 1947 Extended to Oct. 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1944 Extended to Oct. 1, 1945 Extended to Oct. 1, 1950
Extended to Oct. 1, 1947 Extended to Oct. 1, 1950
Extended to Oct. 1, 1948

WITNESS my hand this 15th..... day of September....., 1941.

CHAS. E. STRICKLIN

STATE ENGINEER