CERTIFICATE NO. 15465

## \* APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

	I, Paul A. Gierke (Name of applicant)
of	Portland, 334 N. E. 71st Ave. , County of Multnomah
State	of
follou	ving described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
**********	1. The source of the proposed appropriation is Clear Creek (Name of stream)
	, a tributary of Clackamas River
	2. The amount of water which the applicant intends to apply to beneficial use is031
cubic	feet per second.  (If water is to be used from more than one source, give quantity from each)
	*3. The use to which the water is to be applied is
XXXXX	anywhere along Clear Creek where same  4. The point of diversion is located
	(If preferable, give distance and bearing to section corner)
being	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  within the NE SWA and NWA SWA of Sec. 19, Tp. 2 South  (Give smallest legal subdivision) (N. or S.)
R	3 East , W. M., in the county of Clackamas
	5. The
in ler	egth, terminating in the
R	, W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Dive	rsion Works—
	6. (a) Height of damnone required feet, length on top feet, length at botto
	feet; material to be used and character of construction(Loose rock, concrete, mason
rock an	d brush, timber crib, etc., wasteway over or around dam)
	(b) Description of headgate
	(c) If water is to be pumped give general description 12" Centrifugal Pump Tractor (Size and type of pump)
••••••	for power. 10 ft. lift. Portable equipment to be used at present.  (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
	A different form of application is provided where storage works are contemplated.

14981		-		
Canal System of 7. (a) G	-	t each point of o	canal where materially chang	ged in size, stating miles from
headgate. At h	eadgate: width or	n top (at water	line)	feet; width on bottom
	feet; depth of	w <b>a</b> ter	feet; grade	feet fall per one
thousand feet. (b) At		miles from h	eadgate: width on top (at wa	ter line)
, ,				water feet;
	feet, with			waver jeee,
(c) Leng	gth of pipe,	ft.	; <b>si</b> ze at intake,	in.; size at ft.
from intake	in	.; size at place o	of use in.; di	ifference in elevation between
intake and place	ce of use,	ft. Is	s grade uniform?	Estimated capacity,
	sec. ft.	•		
8. Locat	tion of area to be	irrigated, or pl	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 South	3 East	19	$NE_{4}^{1} SW_{4}^{1}$	2.3
			BINI L CINI L	0.2
••••				
		·		
*****	being	within the Wi	lliam Arthur D. L. C. I	No - 38
		è	,	
		,		
•••••				
(a) Cha	umantam of noil		e required, attach separate sheet)	
		General	Crops	
	ing Purposes—	nower to be down	alanad	theoretical horsepower
. ,		•	power	sec. jt.
			(Head)	
(d) !	The nature of the	e works by <b>me</b> o	ins of which the power is to	be developed
(a)	Such anomics to be	located in		of See
				of Sec
•	, R. (No			
			tream?(Yes or No)	
(g) :	If so, name strear	m and locate po	int of return	

\_\_\_\_\_\_, Sec. \_\_\_\_\_\_, Tp. \_\_\_\_\_\_, R. \_\_\_\_\_\_, W. M.

(i) The nature of the mines to be served .....

(h) The use to which power is to be applied is .....

Municipal or Domestic Supply—	
10. (a) To supply the city of	
County, having a pr	resent population of
and an estimated population of	in 19
(b) If for domestic use state number	of families to be supplied
(Answer question	ons 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	200.00
12. Construction work will begin on or be	efore one year from date of approval
13. Construction work will be completed	on or before two years from date of approval
14. The water will be completely applied	to the proposed use on or before three years from
	Paul A. Gierke
	(Signature of applicant)
	<del></del>
Signed in the presence of us as witnesses:	
(1) Geo. V. Naderman	(Address of witness)
•	
-/	
Remarks: The following described pregon, to-wit: Part of Section 19, T. 2 S., R. 3	property in the County of Clackamas and State of  E. of the W. M., situated in the William Arthur
Remarks: The following described pregon, to-wit: Part of Section 19, T. 2 S., R. 3 L. C., described as follows: Beginning at an iron pipe on the crome the southwest corner of William Ar. M.; thence south 78° 30' east 180 feache center of Clear Creek; thence down worth 29° west 214 feet and north 12° south 12° 35' east 160 feet; thence so	property in the County of Clackamas and State of E. of the W. M., situated in the William Arthur claim line which is 1247 feet south 78° 30' east rthur D. L. C. No. 38, T. 2 S., R. 3 E. of the eet to a pipe; thence north 27° east 307 feet to
Remarks: The following described pregon, to-wit: Part of Section 19, T. 2 S., R. 3  L. C., described as follows: Beginning at an iron pipe on the crom the southwest corner of William And M.; thence south 78° 30' east 180 feacher center of Clear Creek; thence down borth 29° west 214 feet and north 12° south 12° 35' east 160 feet; thence so eept easement for bridge and right to	property in the County of Clackamas and State of  E. of the W. M., situated in the William Arthur  claim line which is 1247 feet south 78° 30' east  rthur D. L. C. No. 38, T. 2 S., R. 3 E. of the  eet to a pipe; thence north 27° east 307 feet to  stream approximately 500 feet to a point which is  35' west 160 feet from the place of beginning; the  uth 29° east 214 feet to the place of beginning, e
Remarks: The following described pregon, to-wit: Part of Section 19, T. 2 S., R. 3  L. C., described as follows: Beginning at an iron pipe on the crom the southwest corner of William And M., thence south 78° 30' east 180 feacher center of Clear Creek; thence down borth 29° west 214 feet and north 12° south 12° 35' east 160 feet; thence so expt easement for bridge and right to	property in the County of Clackamas and State of  E. of the W. M., situated in the William Arthur  claim line which is 1247 feet south 78° 30' east rthur D. L. C. No. 38, T. 2 S., R. 3 E. of the eet to a pipe; thence north 27° east 307 feet to stream approximately 500 feet to a point which is 35' west 160 feet from the place of beginning; the uth 29° east 214 feet to the place of beginning, e use present roadway to Redland Road.
Remarks: The following described pregon, to-wit: Part of Section 19, T. 2 S., R. 3  L. C., described as follows: Beginning at an iron pipe on the Crom the southwest corner of William And M. M.; thence south 78° 30' east 180 feache center of Clear Creek; thence down north 29° west 214 feet and north 12° south 12° 35' east 160 feet; thence some eept easement for bridge and right to	property in the County of Clackamas and State of  E. of the W. M., situated in the William Arthur  claim line which is 1247 feet south 78° 30' east rthur D. L. C. No. 38, T. 2 S., R. 3 E. of the eet to a pipe; thence north 27° east 307 feet to stream approximately 500 feet to a point which is 35' west 160 feet from the place of beginning; the uth 29° east 214 feet to the place of beginning, e use present roadway to Redland Road.
Remarks: The following described pregon, to-wit: Part of Section 19, T. 2 S., R. 3  L. C., described as follows: Beginning at an iron pipe on the Crom the southwest corner of William Andr. M.; thence south 78° 30' east 180 feache center of Clear Creek; thence down north 29° west 214 feet and north 12° south 12° 35' east 160 feet; thence some eept easement for bridge and right to sept easement for bridge and right to This is to certify that I have examined the	property in the County of Clackamas and State of  E. of the W. M., situated in the William Arthur  claim line which is 1247 feet south 78° 30' east rthur D. L. C. No. 38, T. 2 S., R. 3 E. of the  eet to a pipe; thence north 27° east 307 feet to  stream approximately 500 feet to a point which is 35' west 160 feet from the place of beginning; the  uth 29° east 214 feet to the place of beginning, e  use present roadway to Redland Road.
Remarks: The following described pregon, to-wit: Part of Section 19, T. 2 S., R. 3  L. C., described as follows: Beginning at an iron pipe on the crom the southwest corner of William And M. M.; thence south 78° 30' east 180 feache center of Clear Creek; thence down north 29° west 214 feet and north 12° south 12° 35' east 160 feet; thence some eept easement for bridge and right to  STATE OF OREGON, County of Marion,  This is to certify that I have examined the	property in the County of Clackamas and State of  E. of the W. M., situated in the William Arthur  claim line which is 1247 feet south 78° 30' east rthur D. L. C. No. 38, T. 2 S., R. 3 E. of the eet to a pipe; thence north 27° east 307 feet to stream approximately 500 feet to a point which is 35' west 160 feet from the place of beginning; the uth 29° east 214 feet to the place of beginning, e use present roadway to Redland Road.  the foregoing application, together with the accompanying
Remarks: The following described pregon, to-wit: Part of Section 19, T. 2 S., R. 3  L. C., described as follows: Beginning at an iron pipe on the crom the southwest corner of William And M. M.; thence south 78° 30! east 180 feache center of Clear Creek; thence down north 29° west 214 feet and north 12° south 12° 35' east 160 feet; thence some easement for bridge and right to sept easement for bridge and right to this is to certify that I have examined the maps and data, and return the same for	property in the County of Clackamas and State of  E. of the W. M., situated in the William Arthur  claim line which is 1247 feet south 78° 30' east rthur D. L. C. No. 38, T. 2 S., R. 3 E. of the eet to a pipe; thence north 27° east 307 feet to stream approximately 500 feet to a point which is 35' west 160 feet from the place of beginning; the uth 29° east 214 feet to the place of beginning, e use present roadway to Redland Road.  the foregoing application, together with the accompanying
Remarks: The following described pregon, to-wit: Part of Section 19, T. 2 S., R. 3  D. L. C., described as follows: Beginning at an iron pipe on the crome the southwest corner of William Andrews:  N. M.; thence south 78° 30' east 180 feather center of Clear Creek; thence down north 29' west 214 feet and north 12' south 12° 35' east 160 feet; thence some cept easement for bridge and right to sept easement for bridge and right to this is to certify that I have examined the maps and data, and return the same for	property in the County of Clackamas and State of  E. of the W. M., situated in the William Arthur  claim line which is 1247 feet south 78° 30' east rthur D. L. C. No. 38, T. 2 S., R. 3 E. of the  eet to a pipe; thence north 27° east 307 feet to  stream approximately 500 feet to a point which is 35' west 160 feet from the place of beginning; the  uth 29° east 214 feet to the place of beginning, e  use present roadway to Redland Road.  the foregoing application, together with the accompanying
Remarks: The following described pregon, to-wit: Part of Section 19, T. 2 S., R. 3  L. C., described as follows: Beginning at an iron pipe on the Grom the southwest corner of William And M. M.; thence south 78° 30' east 180 feache center of Clear Creek; thence down north 29° west 214 feet and north 12° south 12° 35' east 160 feet; thence some expt easement for bridge and right to sept easement for bridge and right to this is to certify that I have examined the maps and data, and return the same for	property in the County of Clackamas and State of  E. of the W. M., situated in the William Arthur claim line which is 1247 feet south 78° 30' east rthur D. L. C. No. 38, T. 2 S., R. 3 E. of the eet to a pipe; thence north 27° east 307 feet to stream approximately 500 feet to a point which is 35' west 160 feet from the place of beginning; the uth 29° east 214 feet to the place of beginning, e use present roadway to Redland Road.  The foregoing application, together with the accompanying
Remarks: The following described pregon, to-wit: Part of Section 19, T. 2 S., R. 3  D. L. C., described as follows: Beginning at an iron pipe on the crome the southwest corner of William And W. M.; thence south 78° 30' east 180 feather center of Clear Creek; thence down north 29° west 214 feet and north 12° south 12° 35' east 160 feet; thence some cept easement for bridge and right to sept easement for bridge and right to this is to certify that I have examined the maps and data, and return the same for	E. of the W. M., situated in the William Arthur claim line which is 1247 feet south 78° 30' east rthur D. L. C. No. 38, T. 2 S., R. 3 E. of the eet to a pipe; thence north 27° east 307 feet to stream approximately 500 feet to a point which is 35' west 160 feet from the place of beginning; the uth 29° east 214 feet to the place of beginning, e use present roadway to Redland Road.  The foregoing application, together with the accompanying the place of beginning application must be returned to the State Engineer, with

Application	No.	19398	
Permit No.		14981	

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon
	on the8th day of July
	194.1, at1:30 o'clock P M.
	Returned to applicant:
	Corrected application received:
	Approved:
	September 15, 1941
	Recorded in book No of
	Permits on page 14981
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 2 Page 10-B
	Fees Paid\$9.50
County of Marion,   This is to certify tha SUBJECT TO EXISTING The right herein gra	PERMIT  It I have examined the foregoing application and do hereby grant the same, RIGHTS and the following limitations and conditions:  Intended is limited to the amount of water which can be applied to beneficial use conditions.
	case of rotation with other water users, from
	s water is to be applied is Irrigation
second or its equiva-	appropriation shall be limited to $1/80$ th of one cubic foot per lent for each acre irrigated and shall be further limited to a xceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the each year,
and shall be subject to suc	h reasonable rotation system as may be ordered by the proper state officer.
	this permit is July 8, 1941
	work shall begin on or before September 15, 1942 and shall
Oatobon 1 10/2	ith reasonable diligence and be completed on or before
Complete application	of the water to the proposed use shall be made on or before
October 1, 1944	
WITNESS my hand	this15th day ofSeptember, 194_1.
	CHAS. E. STRICKLIN STATE ENGINEER