

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, C. C. Hammerly (Name of applicant) of Oklahoma Historical Bldg., Oklahoma City (Post office), County of Oklahoma, State of Oklahoma, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream, tributary of Beaver Dam Creek, a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.21 cubic feet per second.

*3. The use to which the water is to be applied is Domestic, Irrigation and Operation of Ram

4. The point of diversion is located 875 ft. North and 670 ft. West from the corner of Section 9, T. 1 N., R. 1 W., W. M., Multnomah

being within the Lots 28 & 29, Andrews Acres in Sec. 9, Tp. 1 N., R. 1 W., W. M., in the county of Multnomah

5. The 250 to be feet in length, terminating in the of Sec. 9, Tp. 1 N., R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 35 feet, length at bottom 15 feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Ram with 1 1/4" intake & 1/2" outlet 10 ft. head over ram - 70 ft. delivery head

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 2

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 300.00

12. Construction work will begin on or before Has been commenced

13. Construction work will be completed on or before 2 years after approval

14. The water will be completely applied to the proposed use on or before 3 years after approval

C. C. Hammerly
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19491

Permit No. 15070

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 29th day of August, 1941, at 10:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 30, 1941

Recorded in book No. 37 of

Permits on page 15070

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 62H

Fees Paid \$14.75

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.21 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Stream

The use to which this water is to be applied is Irrigation, Domestic, and Operation of Ram, being 0.17 c.f.s. for irrigation, 0.02 c.f.s. for domestic, and 0.02 c.f.s. for operation of ram.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 29, 1941

Actual construction work shall begin on or before October 30, 1942 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943 Extended to Oct. 1, 1945 Extended to Oct. 1, 1947

Complete application of the water to the proposed use shall be made on or before October 1, 1944 Extended to Oct. 1, 1946 Extended to Oct. 1, 1947

WITNESS my hand this 30th day of October, 1941.

CHAS. E. STRICKLIN STATE ENGINEER