

CERTIFICATE NO. 17422

## \* APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Dr. Guy L. Boyden  
(Name of applicant)  
 of 510 Stevens Bldg., Portland  
(Post office), County of \_\_\_\_\_,  
 State of Oregon, do hereby make application for a permit to appropriate the  
 following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation \_\_\_\_\_

1. The source of the proposed appropriation is 5 Unnamed Springs on Applicant's property  
(Name of stream)

\_\_\_\_\_, a tributary of \_\_\_\_\_

2. The amount of water which the applicant intends to apply to beneficial use is 0.12  
 cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation, Stock & Domestic  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2300 ft. South and 350 ft. East from the NW  
(N. or S.) (E. or W.)  
 corner of Section 32, T. 3 S., R. 1 W., W. M.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 in Fredrick W. Geer DLC of Sec. 32, Tp. 3 S.  
(Give smallest legal subdivision) (N. or S.)  
 R. 1 W., W. M., in the county of Clackamas  
(E. or W.)

5. The \_\_\_\_\_ to be \_\_\_\_\_  
(Main ditch, canal or pipe line) (Miles or feet)  
 in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Tp. \_\_\_\_\_,  
(Smallest legal subdivision) (N. or S.)  
 R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

## DESCRIPTION OF WORKS

Diversion Works— Springs concreted 8' x 12' x 6'

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_  
 feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 centrifugal pump  
(Size and type of pump)  
1/3 HP electric motor  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
20 ft. Static Head

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

### Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) .....  
 ..... feet; width on bottom ..... feet; depth of water ..... feet;  
 grade ..... feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake, 1 $\frac{1}{4}$  in.; size at 280 ft. from intake 1 in.; size at place of use  $\frac{1}{2}$  in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform?                      Estimated capacity,                      sec. ft.

8. Location of area to be irrigated, or place of use .....

[illegible]

(If more space required, attach separate sheet)

(a) Character of soil ..... Sandy Loam .....

(b) Kind of crops raised ..... Lawns, Vegetable Garden, Flower Garden, Clover.....

### Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) *The nature of the works by means of which the power is to be developed* .....

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_  
(Legal subdivision)

*Tp.* \_\_\_\_\_, *R.* \_\_\_\_\_, *W. M.* \_\_\_\_\_  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? \_\_\_\_\_  
(Yes or No)

(g) If so, **name stream and locate point of return** .....

....., *Sec.* ....., *Tr.* ..... (No. N. or S.), *R.* ..... (No. E. or W.), *W. M.*

(h) The use to which power is to be applied is .....

(i) *The nature of the mines to be served* .....

## Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_  
 \_\_\_\_\_ County, having a present population of \_\_\_\_\_  
 (Name of)  
 and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_.

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300.00
12. Construction work will begin on or before Has been commenced, August 23, 1941
13. Construction work will be completed on or before Two years after approval
14. The water will be completely applied to the proposed use on or before Three years after approval

Guy L. Boyden

(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) \_\_\_\_\_, \_\_\_\_\_  
 (Name) (Address of witness)
- (2) \_\_\_\_\_, \_\_\_\_\_  
 (Name) (Address of witness)

Remarks: Springs are so closely grouped together that it is not possible to determine the quantity of water to be used from each spring.

STATE OF OREGON, }  
 County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 194\_\_\_\_\_.

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 194\_\_\_\_\_.

STATE ENGINEER

Application No. 19500

Permit No. 15075

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the  
office of the State Engineer at Salem, Oregon  
on the 4th day of September,  
1941, at 5:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

October 30, 1941

Recorded in book No. 37 of

Permits on page 15075

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76K

Fees Paid \$14.50

STATE OF OREGON

PERMIT

County of Marion,

} ss

This is to certify that I have examined the foregoing application and do hereby grant the same,  
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 0.12 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from

5 Unnamed Springs

The use to which this water is to be applied is Irrigation, Stock and Domestic, being  
0.10 c.f.s. for irrigation, 0.01 c.f.s. for domestic and 0.01 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per  
second or its equivalent for each acre irrigated and shall be further limited to a  
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the  
irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 4, 1941

Actual construction work shall begin on or before October 30, 1942 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
October 1, 1943

Complete application of the water to the proposed use shall be made on or before  
October 1, 1944

WITNESS my hand this 30th day of October, 1941

CHAS. E. STRICKLIN

STATE ENGINEER