
## SUPPLY SU

## \* APPLICATION FOR A PERMIT



## To Appropriate the Public Waters of the State of Oregon

. I,	L. J. Reed	<u>l</u> ,	Name of applicant)	•	
of	Leland			y of	Josephine ,
State of	Oregon		reby make applica	tion for a p	permit to appropriate the
	cribed public water				
ij the t	applicant is a corpo	ration, give date a	a place of incorpo	Jiulion	
1. The	source of the prop	osed appropriation	is Flume	Gulch	
				(Manne or	
					ıl use is0.25
cubic feet per	second				
	use to which the w		Τ,	nni de tion	
<i>0.</i> 1 <i>111</i> 0	use to writer the w	arer to to be applied	(Irrigation, power	r, mining, manui	acturing, domestic supplies, etc.)
				200 ft. <u>F</u>	ast from the $S_4^{\frac{1}{4}}$
corner ofS	ection 33,	(Se	ection or subdivision)	·	
		(If preferable, give distance	•••••	ner)	
					··········
being within		one point of diversion, each $\frac{1}{2}$ SE $\frac{1}{4}$	=		, <i>Tp.</i> 33South, (N. or s.)
					(N. or S.)
(E. or W.)					
5. The	Ditch (Me				
in length, ter	minating in the	NW4 NW4 (Smallest legal subdivis	of Sec	4	, Tp. 34 S.
	, W. M., the pr				
(=: 32	,	DESCRIPTION	ON OF WORKS		
Diversion Wo	orks—				
		4 feet	length on ton	16	feet, length at bottom
					•
	jeei; maieriai io i	se usea ana ch <b>a</b> raci	er of construction	concret	e. Wasteway (Loose rock, concrete, masonry
over.	ber crib, etc., wasteway over	or around dam)			
		one en	aning 1 ft by	າ ₽∔	······
(b) De	escription of headga	te one op	(Timber, concrete, etc., n	⊥ ⊥ U• umber and size o	of openings)
(c) If	water is to be pum	ped give gen <b>e</b> ral de	escription	(Size an	i type of pump)
		ype of engine or motor to be			
	(Size and	ope of engine or motor to be	uscu, waa nead water is to	, ne mræd, etc.)	
- A different	t form of application is prov	ided where storage works a	re contemplated.		

<sup>\*\*</sup> Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

eadgate. At he	adgate: width o	on top (at water lin	e) <u>1.6</u>	feet; width on botto
1.4 ousand feet.	. feet; depth of	water 1.0	feet; grade	5 feet fall per o
•		miles from head	lgate: width on top (at wo	iter line)
••••	feet; width	on bottom	feet; depth of	water fe
		feet fall per one th		
(c) Lengt	th of pipe,	ft.; si	ze at intake,	in.; s <b>i</b> ze at
om intake	in	n.; size at place of ı	ıse in.; d	ifference in elevation betwe
take and place	e of use,	ft. Is g	rade uniform?	Estimated capaci
	sec. ft.			
8. Locati	on of area to b	e irrigated, or place	of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
84 S.	6 W.	4	$NE_{4}^{\frac{1}{4}} NW_{4}^{\frac{1}{4}}$	15
Į	6 W.	4	NW4 NW4	5
		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
			uired, attach separate sheet)	·
		Red Granite S		
(b) Kind	of crops raised	Clover, Pastu	re, Grain, and Garde	n.
ower or Minin $9 (a) T$	-	nomer to be develo	ned	theoretical horsepor
		_	ower	
			feet.	
			(Head)	be developed
(4) 1	ne navare of tr	ie works og næuns	of which the power is to	oc developed
(e) S	uch works to b	e located in		of Sec.
		, W. M.	(Legal subdivision)	
•		· · · · · · · · · · · · · · · · · · ·	am?	
		turned to any stre		
				, R, W
	<b></b>		······································	

Municipal or Domestic Supply—	
10. (a) To supply the city of	
	ent population of
and an estimated population of	
(b) If for domestic use state number of	families to be supplied
(Answer questions 1	1, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$.200	).00 (Work partly completed)
	e Sept. 20, 1942
	or before Sept. 20, 1943
	the proposed use on or before Sept. 20, 1943
14. The water will be completely applied to	the proposed use on or beforex
	L. J. Reed (Signature of applicant)
	Leland, Oregon
~	
Signed in the presence of us as witnesses:	Grants Pass. Oregon
(1) R. S. Anderson (Name)	(Address of witness)
(2)(Name)	(Address of witness)
Remarks:	
	~
	,
STATE OF OREGON, ss	,
County of Marion,	
This is to certify that I have examined the j	foregoing application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority, this applic	cation must be returned to the State Engineer, with
corrections on or before	, 194
WITNESS my hand this day	of, 194
	STATE INGINEER

manga sa kalandaran menandi sebesah menandi. Perangan sebesah sebes

Application	No. 19510
Permit No.	15105

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon	
	on the 22nd day of September,	
	1941, at	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	January 30, 1942	
	Recorded in book No37 of	
	Permits on page 15105	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No. 15 Page 48A	
	Fees Paid \$9.50	
STATE OF OREGON	PERMIT	
County of Marion,	 nat I have examined the foregoing application and do	
and shall not exceedstream, or its equivalent in	ranted is limited to the amount of water which can be 0.25 cubic feet per second measured at the point case of rotation with other water users, from	nt of diversion from the
	nis water is to be applied isIrrigation	
If for irrigation, thi	s appropriation shall be limited to 1/80th ent for each acre irrigated and shall be fu	of one cubic foot per
	exceed $4\frac{1}{2}$ acre feet per acre for each acre :	_
	om April 2, to October 31, of each year,	
	ch reasonable rotation system as may be ordered by the	
The priority date of	this permit is September 22, 1941	
Actual construction	work shall begin on or before January 30, 1943	and shall
thereafter be prosecuted	with reasonable diligence and be completed on or befo	re
October 1, 1943	·	
Complete application	on of the water to the proposed use shall be made on o	r before
October 1, 1944		
WITNESS my hand	l this 30th day of January	, 194.2
	CHAS. E. S	STRICKLIN STATE ENGINEER