

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Earl R. Dodge, of Brookings, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed branch of an unnamed creek sometimes known as Iler Creek, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.1975 cubic feet per second from above stated source

**3. The use to which the water is to be applied is domestic purposes and irrigation

4. The point of diversion is located 60 ft. North and 140 ft. East from the SE corner of the Southwest Quarter of the Northwest Quarter of Section 31 in Township 40 South, Range 13 West, Willamette Meridian in Curry County, Oregon.

being within the SE 1/4 of the NW 1/4 of Sec. 31, Tp. 40 South, R. 13 West, W. M., in the county of Curry

5. The main pipe line to be approximately 700 feet in length, terminating in the SW 1/4 of the NW 1/4 of Sec. 31, Tp. 40 South, R. 13 West, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 6 feet, length at bottom 6 feet; material to be used and character of construction timber crib 4" x 12"

(b) Description of headgate

(c) If water is to be pumped give general description 2 inch turbin pump Wisconsin 2 horse power

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 700 ft.; size at intake, two in.; size at 20 ft. from intake two in.; size at place of use two in.; difference in elevation between intake and place of use, about 40 ft. Is grade uniform? fairly so. Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
40 South	13 West	31	SW $\frac{1}{4}$ of the NW $\frac{1}{4}$	8 & domestic
40 South	13 West	31	SE $\frac{1}{4}$ of the NW $\frac{1}{4}$	7 & domestic

(If more space required, attach separate sheet)

(a) Character of soil light humus soil

(b) Kind of crops raised bulbs, fruit and vegetables

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one
.....
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 600.00
- 12. Construction work will begin on or before October 20, 1941
- 13. Construction work will be completed on or before October 20, 1946
- 14. The water will be completely applied to the proposed use on or before domestic use as
soon as possible, for irrigation on or before October 20, 1946.

Ruby E. Dodge
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Raymond G. Wood Brookings, Oregon
(Name) (Address of witness)
- (2) Earl R. Dodge Brookings, Oregon
(Name) (Address of witness)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for
.....
.....

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19517

Permit No. 15110

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 3rd day of October, 1941, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

January 30, 1942

Recorded in book No. 37 of

Permits on page 15110

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 2A

Fees Paid \$14.50

STATE OF OREGON

PERMIT

County of Marion, ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.1975 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Stream

The use to which this water is to be applied is Domestic and Irrigation, being 0.01 c.f.s. for domestic, and 0.1875 c.f.s. for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be limited still further to a total diversion of not to exceed 0.1875 c.f.s., and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 3, 1941

Actual construction work shall begin on or before January 30, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1943

Complete application of the water to the proposed use shall be made on or before October 1, 1944

WITNESS my hand this 30th day of January, 1942

CHAS. E. STRICKLIN

STATE ENGINEER