

* APPLICATION FOR A PERMIT CERTIFICATE NO. 14544

To Appropriate the Public Waters of the State of Oregon

I, Oliver W. Newman (Name of applicant)

of Cornelius, Route 2, (Post office), County of Washington, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring (Name of stream), a tributary of Unnamed Creek (Tualatin River)

2. The amount of water which the applicant intends to apply to beneficial use is .01 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 26 ft. South and 115 ft. East from the SW corner of Section 21, (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW 1/4 NW 1/4 of Sec. 28, Tp. 1 South, R. 3 West, W. M., in the county of Washington

5. The pipe to be 240 ft. in length, terminating in the SW 1/4 SW 1/4 of Sec. 21, Tp. 1 South, R. 3 West, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Wesco 1 1/4" 1/3 H.P. Electric Motor - Capacity 350 g.p.h. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 240 ft.; size at intake, 1 1/4 in.; size at 160 ft. from intake 1" in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 45 ft. Is grade uniform? yes Estimated capacity, 350 g.p.h. ~~sec. ft.~~

8. Location of area to be irrigated, or place of use

| Township | Range | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|----------|--------|---------|---|------------------------------|
| 1 South | 3 West | 21 | SW ¹ / ₄ SW ¹ / ₄ | Domestic |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before ...Already completed and in use.....
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

Oliver W. Newman

(Signature of applicant)

Cornelius, Oregon, Route 2

Signed in the presence of us as witnesses:

(1) Mary K. Newman Cornelius, Oregon
(Name) (Address of witness)

(2) C. A. Newman Cornelius, Oregon
(Name) (Address of witness)

Remarks: The water from this spring has been used for domestic purposes on
this place since 1917 and it is not the intention of the applicant to waive any
vested right to the use of this spring which may have been acquired through its use
since 1917.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before December 2, 194⁰

WITNESS my hand this 2nd day of November, 194⁰

CHAS. E. STRICKLIN

HP

STATE ENGINEER

Application No. 18389

Permit No. 15166

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 9th day of September, 1939, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

April 15, 1942

Recorded in book No. 37 of

Permits on page 15166

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 62F

Fees Paid \$10.00

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Spring

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 19, 1940

Actual construction work shall begin on or before April 15, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1944

Complete application of the water to the proposed use shall be made on or before October 1, 1945

WITNESS my hand this 15th day of April, 1942

CHAS. E. STRICKLIN STATE ENGINEER