

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 15267

To Appropriate the Public Waters of the State of Oregon

I, E. D. Hall (Name of applicant)

of Beagle (Post office), County of Jackson

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream, tributary of E. Fork of Evans Creek, a tributary of Evans Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

**3. The use to which the water is to be applied is Domestic and not more than 1/2 acre of garden.

4. The point of diversion is located 1640 ft. North and 5 ft. East from the SW corner of Section 33.

being within the NW 1/4 SW 1/4 of Sec. 33, Tp. 33 S. R. 2 W., W. M., in the county of Jackson

5. The Pipe Line to be 1/2 mile in length, terminating in the SE 1/4 SW 1/4 of Sec. 33, Tp. 33 S. R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2.5 feet, length on top 6 feet, length at bottom 3 feet; material to be used and character of construction Concrete

(b) Description of headgate Direct into 1 1/2 inch pipe

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2600 ft.; size at intake, 1.5 in.; size at 825 ft. from intake 3/4 in.; size at place of use 1/2 in.; difference in elevation between intake and place of use, 200 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1 contains '33 South', '2 West', '33', 'SE 1/4 SW 1/4', 'Place of use'.

(If more space required, attach separate sheet)

(a) Character of soil Loam

(b) Kind of crops raised 1/2 acre garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One
.....
(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300.00

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

E. D. Hall
.....
(Signature of applicant)

Beagle, Oregon
.....

Signed in the presence of us as witnesses:

(1) C. A. Smith, Court House, Medford, Oregon
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 22,, 1941

WITNESS my hand this 22nd day of January, 1941

CHAS. E. STRICKLIN
.....
STATE ENGINEER

Application No. 19135

Permit No. 15167

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 17th day of January, 1941, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

April 15, 1942

Recorded in book No. 37 of Permits on page 15167

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 41

Fees Paid \$10.00

STATE OF OREGON

PERMIT

County of Marion, ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed Stream

The use to which this water is to be applied is Domestic, including the irrigation of a garden not exceeding 1/2 acre in area.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 17, 1941

Actual construction work shall begin on or before April 15, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1944

Complete application of the water to the proposed use shall be made on or before October 1, 1945

WITNESS my hand this 15th day of April, 1942

CHAS. E. STRICKLIN STATE ENGINEER