

CERTIFICATE NO. 15476

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Erwin L. & Vera M. Schmidt (Name of applicant) Sold to Hans M. Nissen

of Grants Pass (Post office), County of Josephine

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Madam's Creek (Name of stream), a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 5/8 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

First point of diversion is 1150 ft. S. and 2020 ft. W. from N.E. Second 4. The point of diversion is located 0 ft. South and 2370 ft. East from the NW Corner of Section 23. (exactly on east-west section line)

1st Point 2nd Point " being within the NW 1/4 of Sec. 23, Tp. 36 South, R. 7 West, W. M., in the county of Josephine

5. The Main Ditch to be 2200 ft. in length, terminating in the SE 1/4 of Sec. 14, Tp. 36 S., R. 7 W., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

(under 10 ft. in height) 6. (a) Height of dam 8 feet, length on top 20 feet, length at bottom 6 feet; material to be used and character of construction

(b) Description of headgate Timber headgate with 12 in. opening.

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. The main ditch is the same as S. E. Jess used under his Application No. 8258, Permit No. 5347.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 South	7 West	14	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	33
"	"	23	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	6
"	"	23	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	7 $\frac{1}{2}$
"	"	14	Part of Lot 11 (SE $\frac{1}{4}$ SW $\frac{1}{4}$)	3 $\frac{1}{2}$
			TOTAL	50

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam
 (b) Kind of crops raised Hay and Grain

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied
.....
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000.00
- 12. Construction work will begin on or before April 1, 1942
- 13. Construction work will be completed on or before April 1, 1944
- 14. The water will be completely applied to the proposed use on or before June 1, 1944

Vera M. Schmidt
(Signature of applicant)

Erwin L. Schmidt

Signed in the presence of us as witnesses:

- (1) Roy K. Hackett c/o 1st National Bank, Grants Pass, Oregon
(Name) (Address of witness)
- (2) Carlotta K. Wiseman " "
(Name) (Address of witness)

Remarks: Accompanying map shows 70 acres to be irrigated, of
which S. E. Jess secured rights for 20 acres as indicated.
Original application made in the name of Vera M. Schmidt.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for revision

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before March 2, 1942

WITNESS my hand this 30th day of January, 1942

CHAS. E. STRICKLIN
LD STATE ENGINEER

Corrected application mailed 2-23-42
Erwin L. Schmidt
Route 2, Box 566
Grants Pass, Oregon

Application No. 19458

Permit No. 15170

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 11th day of August, 1941, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 15, 1942

Recorded in book No. 37 of

Permits on page 15170

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 78

Fees Paid \$12.50

STATE OF OREGON

County of Marion,

} ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.63 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Madam's Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 2, to October 31, of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 11, 1941

Actual construction work shall begin on or before April 15, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1944 Extended to Oct. 1, 1947

Complete application of the water to the proposed use shall be made on or before October 1, 1945 Extended to Oct. 1, 1947

WITNESS my hand this 15th day of April, 1942

CHAS. E. STRICKLIN

STATE ENGINEER