ASSIGNED, Sec. Misc. Rec. Vol. 3 Page 223

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

. I,	Springfield Plywood Corporation (Name of applicant)
of	Springfield , County of Lane
State of	Oregon , do hereby make application for a permit to appropriate the
followir	ng described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
Ij	f the applicant is a corporation, give date and place of incorporation Incorporated
in Or	egon on
1.	. The source of the proposed appropriation is Sutherlin Creek
	, a tributary of The North Umpqua River
2	. The amount of water which the applicant intends to apply to beneficial use is
cubic fe	et per second of flood water (creek is dry in summer time). (If water is to be used from more than one source, give quantity from each)
	The use to which the water is to be applied is to fill log pond for logging (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
opera	
. 4	. The point of diversion is located
	of N. 7° 47! W. 4455.0 ft. from the quarter section corner between Sec-
tions	20 and 29, T. 25 S; R. 5 W.; W. M.,
	(If preferable, give distance and bearing to section corner)
beina u	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the $NE_{\frac{1}{4}}^{\frac{1}{4}}$ of the $NW_{\frac{1}{4}}^{\frac{1}{4}}$ of $Sec. 20$ To 25 S.
	of Sec. 20 , Tp. 25 S. (Give smallest legal subdivision) of Sec. 20 , Tp. 25 S. (N. or S.)
(E. or W.) The Water pumped directly into pond xxxxx from creek
	(Main ditch, canal or pipe line) (Miles or feet)
in lengt	th, terminating in the of Sec, Tp(N. or S.)
R	W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversi	on Works—
6	i. (a) Height of dam No dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction(Loose rock, concrete, masonry
	rush, timber crib, etc., wasteway over or around dam)
	b) Description of headgate No headgate (Timber, concrete, etc., number and size of openings)
	(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description Direct lift with 6 inch
	(Size and type of pump) ntrifugal pump and a Ford V 8 engine 18 ft. head to be lifted.
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
	Alletonate donne and annual design for an added a horse and an added and a second a

Canal System or 7. (a) Gir	-	No pipe line t each point of co	inal where materially chan	iged in size, stati	ing miles from
headgate. At he	eadgate: width o	n top (at water l	ine)	feet; wi	dth on bottom
thousand feet.			feet; gradeadgate: width on top (at w		
			feet; depth of		
grade		feet fall per one t	housand feet.		
(c) Leng	th of pipe,	20 ft.;	size at intake,6	in.; size at	20 ft.
	•		use6 in.; d		
			grade uniform?		
1.6		·	•		
		e irrigated, or pla	ce of use		
Township	Range	Section	Forty-acre Tract	Numb	er Acres Irrigated
25 S.	5 W.	20	$NE_{f 4}^{f 1} NW_{f 4}^{f 2}$	3 ac.	(pond)
			SE ¹ NW ¹		
	αο		SW4 NW4	£	
***************************************	,		·············		
/					
	1	'	required, attach separate sheet)		
(a) Char	racter of soil				,
(b) Kind	d of crop s rais ed		······································	••••••	
Power or Minin					
9. (a) T	otal amount of	power to be deve	loped	theoretic	cal horsepower.
			power		
(c) T	otal fall to be u	tilized	feet.		
(d) T	he nature of th	e works by mear	ns of which the power is to	be developed	
(e) S	uch works to be	located in	(Legal subdivision)	of Sec	
		, W. M.			
			eam?(Yes or No)		
			nt of return		
			, Tp(No. N. or S.)		
(1) T	ne nature of the	mines to be serv	ed		

13. Construction work will be completely applied to the proposed use on or before 14. The water will be completely applied to the proposed use on or before about January 31, 1942. SPRINGFIELD PLYWOOD CORPORATION (SEAL) SPRINGFIELD PLYWOOD CORPORATION (SEAL) SPRINGFIELD PLYWOOD CORPORATION (SEAL) SPRINGFIELD PLYWOOD CORPORATION (Statement of application) By E. E. Westman, President (1) R. B. Logan (Name) (Municipal or Domestic Supply—	
and an estimated population of	10. (a) To supply the city of	
(b) If for domestic use state number of families to be supplied		esent population of
II. Estimated cost of proposed works, \$	and an estimated population of	in 19
11. Estimated cost of proposed works, \$	(b) If for domestic use state number of	of families to be supplied
12. Construction work will begin on or before Already set up 13. Construction work will be completed on or before 14. The water will be completely applied to the proposed use on or before about January 31, 1942. SPRINGFIELD PLYMOOD CORPORATION (SEAL) SPRINGFIELD PLYMOOD CORPORATION (Seature of applicant) By E. E. Westman, President Signed in the presence of us as witnesses: (1) R. B. Logan Olympia, Washington (Mame) (Address of winces) (Address of winces) Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 194.	(Answer question	ns 11, 12, 13, and 14 in all cases)
(SEAL) SPRINGFIELD PLYWOOD CORPORATION (Signed in the presence of us as witnesses: (1) R. B. Logan (Name) (Name) (Name) Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 194.	11. Estimated cost of proposed works, \$	
SPRINGFIELD PLYWOOD CORPORATION (SEAL) SPRINGFIELD PLYWOOD CORPORATION (SEAL) SPRINGFIELD PLYWOOD CORPORATION (SEAL) SPRINGFIELD PLYWOOD CORPORATION (Signature of application) By E. E. Westman, President Signed in the presence of us as witnesses: (1) R. B. Logan (Name) (Same) (Name) (Name) (Name) (Name) Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 11 order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 12 order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 13 order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 14 order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 15 order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	12. Construction work will begin on or be	fore Already set up
SPRINGFIELD PLYWOOD CORPORATION (SEAL) SPRINGFIELD PLYWOOD CORPORATION (Signature of applicant) By E. E. Westman, President Signed in the presence of us as witnesses: (1) R. E. Logan (Name)	13. Construction work will be completed	on or before
(SEAL) SPRINGFIELD PLYWOOD CORPORATION (Signed in the presence of us as witnesses: (1) R. B. Logan (Name) (Name) (Name) Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 194.	14. The water will be completely applied	to the proposed use on or before
Signed in the presence of us as witnesses: (1) R. B. Logan Olympia, Washington (Address of witness) (2) W. H. Schultz Olympia, Washington (Manne) (Address of witness) Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194	about January 31, 1942.	
Signed in the presence of us as witnesses: (1) R. B. Logan Olympia, Washington (Name) (Name) (Name) (Nature of witness) Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194		SPRINGFIELD PLYWOOD CORPORATION
Signed in the presence of us as witnesses: (1) R. B. Logan Olympia, Washington (Name) Olympia, Washington (Name) (Name) (Name) (National witness) Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194	(SEAL)	_
(1) R. B. Logan (Name) (Address of witness) (2) W. H. Schultz (Name) (Address of witness) Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194		E. E. Westman, President
(1) R. B. Logan (Name) (Address of witness) (2) W. H. Schultz (Name) (Address of witness) Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194		
(2) W. H. Schultz Olympia, Washington (Name) (Address of witness) Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	(1) R. B. Logan (Name)	Olympia, Washington (Address of witness)
Remarks: The pond is constructed by excavation and the mean depth is 6 feet. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	(2) W. H. Schultz	Olympia, Washington
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	,	
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194	County of Marion, S^{ss} This is to certify that I have examined the	
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194		
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before		
	à.	
WITNESS my hand thisday of, 194	corrections on or before	, 194
	WITNESS my hand this da	y of, 194

•	Applica	tion	No.	19590	
	Permit	No.		15178	

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No. District No.
	This instrument was first received in the office of the State Engineer at Salem, Oregon
	on the 8th day of December,
	194.1, at .8:00 o'clockA M.
	Returned to applicant:
	Corrected application received:
	Approved:
	April 15, 1942
	Recorded in book No 37 of
	Permits on page 15178
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 16 Page 2B
	Fees Paid \$11.00
CT ATTE OF OPECON	DEDMIN
STATE OF OREGON County of Marion,	ss PERMIT
and shall not exceed stream, or its equivalent	granted is limited to the amount of water which can be applied to beneficial use cubic feet per second measured at the point of diversion from the in case of rotation with other water users, from
	Sutherlin Creek
	this water is to be applied is Log Pond Purposes.
If for irrigation, to	his appropriation shall be limited to————————————————————————————————
	such reasonable rotation system as may be ordered by the proper state officer.
The priority date	of this permit is December 8, 1941
Actual construction	on work shall begin on or before April 15, 1943 and shall
2 2 2044	l with reasonable diligence and be completed on or before
Complete applica	tion of the water to the proposed use shall be made on or before
October 1, 1945	
•	nd this
V	