CERTIFICATE NO. 14720

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 2 7/ F 7/ W 3 of Sec. 2 , Tp. 25 Sa., (Give smallest legal subdivision) (N. or S.) R. 13 W., W. M., in the county of Coos (E. or W.) 5. The Pipe Line to be 1350 feet (Miles or feet)		Emil J. Anderson and Carl Sandine and
State of Oregon	I,	Mrs. Emil J. Anderson Mrs. Carl Sandine
State of OPEEOR	of	
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is 1. The amount of water which the applicant intends to apply to beneficial use is 0:02 2. The amount of water which the applicant intends to apply to beneficial use is 0:02 2. The use to which the water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is 1. The point of diversion is located 1.		
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Grange Creek (Name of stream) 1. The source of the proposed appropriation is Grange Creek (Name of stream) 1. The source of the proposed appropriation is Grange Creek (Name of stream) 1. The source of the proposed appropriation is Grange Creek (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is 9.02 (we will be source, give quantity from each) 2. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (R. or S.) 4. The point of diversion is located ft. (R. or S.) 5. R. 13 W., (H preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 2 7/7 Thule of of Sec. 2, Tp. 25. Sa. (N. or S.) (Cive smallest least subdivision) 5. The Right of the county of Coost (Smallest least subdivision) 6. (a) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam A feet, length on top 24 feet, length at bottom 16 feet; material to be used and character of construction Timber & Earth (Coose rock, concrete, masonry, with spillwey over top of dam.	State of	do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is Grange Creek (Name of stream) ———————————————————————————————————	following	described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If :	the applicant is a corporation, give date and place of incorporation
	1.	The source of the proposed appropriation is Grange Creek (Name of stream)
**3. The use to which the water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Domestic (Grigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (Grigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (Grigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (Grigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (Grigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (Grigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (Grigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (Grigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (Grigation or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion each must be described. Use separate sheet if necessary) (If there is more than one point of diversion each must be described. Use separate sheet if necessary) (If there is more than one point of diversion each must be described. Use separate sheet if necessary) (If there is more than one point of diversio		
**3. The use to which the water is to be applied is Domestic (Grigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (R. or s.) corner of S. 49°43! W. 1280 feet. from Section Corner on North boundary of Section (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 2 7/F 7/V 1 of Sec. 2, Tp. 25.S. (N. or S.) R. 13 W. W. M., in the county of Coos (Give smallest legal subdivision) 5. The Pipe Line to be 1350 feet. (Mile or feet) in length, terminating in the Lot 2 (Smallest legal subdivision) (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 4 feet, length on top 24 feet, length at bottom 16 feet; material to be used and character of construction Timber & Earth (Loose rock, concrete, masonry, with spillway over top of dam.	2.	The amount of water which the applicant intends to apply to beneficial use is 0.02
**3. The use to which the water is to be applied is Domestic (Grigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ft. (R. or s.) corner of S. 49°43! W. 1280 feet. from Section Corner on North boundary of Section (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 2 7/F 7/V 1 of Sec. 2, Tp. 25.S. (N. or S.) R. 13 W. W. M., in the county of Coos (Give smallest legal subdivision) 5. The Pipe Line to be 1350 feet. (Mile or feet) in length, terminating in the Lot 2 (Smallest legal subdivision) (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 4 feet, length on top 24 feet, length at bottom 16 feet; material to be used and character of construction Timber & Earth (Loose rock, concrete, masonry, with spillway over top of dam.	cubic fee	t per second.
4. The point of diversion is located	**3.	The use to which the water is to be applied is Domestic
Corner of S. 49°43! W. 1280 feet from Section Corner on North boundary of Section 2, (Section or subdivision) T. 25 S., R. 13 W., (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 2 7/F 7/W 30° of Sec. 2 7, Tp. 25. S., (Give smallest legal subdivision) R. 13 W., (Main the county of Coos (E or W.) 5. The Pipe Line to be 1350 feet (Main ditch, canal or pipe line) (Milles or feet) in length, terminating in the Lot 2 (Smallest legal subdivision) (E or W.) (E or W.) (Nor S.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 4 feet, length on top 24 feet, length at bottom 16 feet; material to be used and character of construction Timber & Earth (Loose rock, concrete, masonry, with spillway over top of dam.	0.	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Corner of S. 49°43! W. 1280 feet from Section Corner on North boundary of Section 2, (Section or subdivision) T. 25 S., R. 13 W., (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 2 7/F 7/W 30° of Sec. 2 7, Tp. 25. S., (Give smallest legal subdivision) R. 13 W., (Main the county of Coos (E or W.) 5. The Pipe Line to be 1350 feet (Main ditch, canal or pipe line) (Milles or feet) in length, terminating in the Lot 2 (Smallest legal subdivision) (E or W.) (E or W.) (Nor S.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 4 feet, length on top 24 feet, length at bottom 16 feet; material to be used and character of construction Timber & Earth (Loose rock, concrete, masonry, with spillway over top of dam.		The point of diversion is leasted ft and ft from the
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 2 7 f 7 W 7 of of Sec. 2 , Tp. 25 Sa. , (N. or S.) R. 13 W. , W. M., in the county of COOS (E. or W.) 5. The Pipe Line to be 1350 feet (Miles or feet) in length, terminating in the Lot 2 (Smallest legal subdivision) (Smallest legal subdivision) R. 13 W. , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 4 feet, length on top 24 feet, length at bottom 16 feet; material to be used and character of construction Timber & Earth (Loose rock, concrete, masonry, with spillway over top of dam.		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 2 PF N O Sec. 2 , Tp. 25 S. , (N. or S.) R. 13 W. , W. M., in the county of Coos 5. The Pipe Line to be 1350 feet (Miles or feet) in length, terminating in the Lot 2 of Sec. 2 , Tp. 25 S. , (N. or S.) (Smallest legal subdivision) R. 13 W. , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top 24 feet, length at bottom 16 feet; material to be used and character of construction Timber & Earth (Loose rock, concrete, masonry, with spillway over top of dam.	corner of	S. 49 43 W. 1280 feet from A Section Corner on North boundary of Section 2 (Section or subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 2 PF N O Sec. 2 , Tp. 25 S. , (N. or S.) R. 13 W. , W. M., in the county of Coos 5. The Pipe Line to be 1350 feet (Miles or feet) in length, terminating in the Lot 2 of Sec. 2 , Tp. 25 S. , (N. or S.) (Smallest legal subdivision) R. 13 W. , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top 24 feet, length at bottom 16 feet; material to be used and character of construction Timber & Earth (Loose rock, concrete, masonry, with spillway over top of dam.	T. 25 S	., R. 13 W.,
being within the Lot 2 7/ F 7 W of Sec. 2 , Tp. 25 S. (Give smallest legal subdivision) (N. or S.) R. 13 W. , W. M., in the county of Coos 5. The Pipe Line to be 1350 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the Lot 2 of Sec. 2 , Tp. 25 S. (N. or S.) R. 13 W. , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 4 feet, length on top 24 feet, length at bottom feet; material to be used and character of construction Timber & Earth (Loose rock, concrete, masonry, with spillwey over top of dam.		(If preferable, give distance and bearing to section corner)
R. 13 W	haima ani	
5. The		
(Main ditch, canal or pipe line) in length, terminating in the Lot 2 of Sec. 2 , Tp. 25 S	R. 13 W	•, W. M., in the county of
R. 13 W	5.	The Pipe Line to be 1350 feet (Main ditch, canal or pipe line) (Miles or feet)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam	in length	, terminating in the Lot 2 of Sec. 2 , Tp. 25 S. (N. or S.)
Diversion Works— 6. (a) Height of dam	R. 13 W	, W. M., the proposed location being shown throughout on the accompanying map.
6. (a) Height of dam feet, length on top 24 feet, length at bottom 16 feet; material to be used and character of construction Timber & Earth (Loose rock, concrete, masonry, with spillway over top of dam.		DESCRIPTION OF WORKS
	Diversion	n Works—
with spillway over top of dam.	6.	(a) Height of dam 4 feet, length on top feet, length at bottom
with spillway over top of dam.	16	feet; material to be used and character of construction .Timber & Earth
rock and brush, timber crib, etc., wasteway over or around dam)		
	rock and bru	sh, timber crib, etc., wasteway over or around dam)
(h) Description of headagte Wood - one opening	/h	•
(b) Description of headgateWood - one opening(Timber, concrete, etc., number and size of openings)	(0	
(c) If water is to be pumped give general description(Size and type of pump)	(c	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)		(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
	•	

[•] A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-

Canal S	ystem	or Pip	e Lin	e-
---------	-------	--------	-------	----

7. (a) Gi	ve dimensions a	t each point o	of canal where materially change	d in size, stating miles from
headgate. At he	eadgate: width o	n top (at wat	er line)	feet; width on bottom
thousand feet.			feet; grade	
			n headgate: width on top (at water	
	-		feet; depth of wo	iter feet;
•	_		ne thousand feet.	240
			ft.; size at intake,	
from intake	L" to $3/4$ " in	.; size at plac	e of use3/4" in.; diff	erence in elevation between
intake and plac	e of use,4	0 ft.	Is grade uniform? No	Estimated capacity,
0.02	sec. ft.			
8. Locat	ion of area to be	irrigated, or	place of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
			Lots 3-4-5-28-29 & 30, B	lock 6
			Lots 5-6-7-26 & 27 Block	11
		4		
	1		Government Lot 2 78 E	,
	,			
		······································		
		₹.		
() CI	4 - 4		pace required, attach separate sheet)	
	·			
• •				
Power or Minir	-	occupan to ha d	eveloped	theoretical horsenower
	_			
		·	for power	sec. ji.
			(Head)	
(d) T	The nature of the	e works by n	neans of which the power is to be	developed
			(Legal subdivision)	oj Sec,
	, R(No	-		
(f) Is	s water to be ret	urned to any	stream?(Yes or No)	
	•		point of return	
		, Se c	, Tp,(No. N. or S.)	, R, W. M.
(h) T	The use to which	power is to	be applied is	
		······································	<u> </u>	······
(i) T	he nature of the	mines to be	served	

Municipal or Domestic Supply—	
10. (a) To supply the city of	
	present population of
and an estimated population of	in 19
(b) If for domestic use state number	of families to be supplied2
(Answer questi	ons 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	90,00
12. Construction work will begin on or b	efore February 1, 1942
13. Construction work will be completed	l on or before February 28, 1942
14. The water will be completely applie	d to the proposed use on or before July 1st
	Emil J. Anderson
	Mrs. Emil J. Anderson (Signature of applicant)
	Mrs. Carl Sandine
	Carl Sandine
Signed in the presence of us as witnesses.	:
(1) Harold Porter	Eastside, Oregon
(Name)	(Address of witness) North Bend, Oregon
(2) MIS. 3. II. ARCEISON (Name)	North Bend, Oregon (Address of witness)
Remarks: We propose to enlarge da	um and install a 1200 gallon cement tank for the
use of pipeline already in use by Gra	nge.
By agreement with the Gl	asgow grange, the applicants herein will be
allowed to use the present pipe line	down to the point nearest to their homes, and
will connect on there with 3/4" pipe	for the line on to the place of use. The point
of diversion is the same as that of t	he Grange water right at present, and the right
will be subsequent to their right.	
STATE OF OREGON, ss	
County of Marion,	
This is to certify that I have examined the	he foregoing application, together with the accompanying
maps and data, and return the same for	mpletion
In order to retain its priority, this ap	plication must be returned to the State Engineer, with
corrections on or beforeJulyl,	, 194.2
WITNESS my hand this 29th	day of January , 1942
	CHAS, E. STRICKLIN
	CHAND TO DILLY VIIII

Application No	19612
Permit No	15191

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No. District No.
	This instrument was first received in the office of the State Engineer at Salem, Oregon
	on the 26th day of January
	194.2., at8:00 o'clock A. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	April 15, 1942
	Recorded in book No
	Permits on page 15191
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No17 Page 10B
	Fees Paid \$10.00
	1 000 1 000 1 000 1
STATE OF OREGON	PERMIT
County of Marion,	\{ ss
and shall not exceedstream, or its equivalent i	nanted is limited to the amount of water which can be applied to beneficial uses 0.02 cubic feet per second measured at the point of diversion from the in case of rotation with other water users, from
	his water is to be applied is Domestic
If for irrigation, th	is appropriation shall be limited to of one cubic foot per
and shall be subject to s	uch reasonable rotation system as may be ordered by the proper state officer. I anuary 26, 1942
Actual construction	n work shall begin on or beforeApril 15, 1943 and shal
	with reasonable diligence and be completed on or before
Complete applicati	on of the water to the proposed use shall be made on or before
October 1, 1945	
	d this
	CHAS. E. STRICKLIN
	STATE ENGINEER