

* APPLICATION FOR A PERMIT CERTIFICATE NO. 15599

To Appropriate the Public Waters of the State of Oregon

I, J. H. Callahan (Name of applicant) of Santa Susana (Post office), County of California, State of California, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Alsea River and an unnamed spring (Name of stream), a tributary of Alsea River

2. The amount of water which the applicant intends to apply to beneficial use is 0.55 cubic feet per second. being 0.53 c.f.s. from river for irrigation & 0.02 c.f.s. from spring for domestic & stock. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation, Stock and Domestic, (Irrigation, power, mining, manufacturing, domestic supplies, etc.) including the irrigation of 1/2 acre of domestic garden.

4. The point of diversion is located 556.6 ft. North and 290 ft. West from the SE corner of the SW 1/4 NE 1/4, Section 13, T. 14 S., R. 9 W., W. M. from spring and any point where Alsea R. touches my land in SW 1/4 NE 1/4, SE 1/4 NW 1/4, NE 1/4 SW 1/4 & NW 1/4 SE 1/4, Sec. 13, T. 14 South, Range 9 West, W. M. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. of Tp. R. W. M., in the county of Lincoln

5. The to be in length, terminating in the of Sec. of Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
14 South	9 West	13	SW $\frac{1}{4}$ NE $\frac{1}{4}$	12 & stock & dom.
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	2
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	28
				<u>42</u>

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised General Farm Crops & Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied
.....
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before Water now in use for domestic
- 13. Construction work will be completed on or before 2 years after approval
- 14. The water will be completely applied to the proposed use on or before 3 years after
..... approval

J. H. Callahan
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) ,
(Name) (Address of witness)
- (2) ,
(Name) (Address of witness)

Remarks: Spring is situated on applicant's property

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19634

Permit No. 15208

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 3rd day of March, 1942, at 11:45 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 15, 1942

Recorded in book No. 37 of

Permits on page 15208

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 18 Page 7 & 11

Fees Paid \$16.30

STATE OF OREGON

PERMIT

County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.55 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Alsea River and an Unnamed Spring, being 0.53 c.f.s. from Alsea River and 0.02 c.f.s. from unnamed spring.

The use to which this water is to be applied is Irrigation, Domestic, including the irrigation of a domestic garden not exceeding 1/2 acre in area, and stock, being 0.53 c.f.s. from Alsea River for irrigation, and 0.02 c.f.s. for domestic and stock from unnamed spring, being 0.01 c.f.s. for domestic and 0.01 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 3, 1942

Actual construction work shall begin on or before April 15, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1944

Complete application of the water to the proposed use shall be made on or before October 1, 1945

WITNESS my hand this 15th day of April, 1942

CHAS. E. STRICKLIN

STATE ENGINEER