

* APPLICATION FOR A PERMIT CERTIFICATE NO. 14730

To appropriate the Public Waters of the State of Oregon

I, Fred Minard (Name of applicant) of Myrtle Point (Post office), County of Coos, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed creek (Name of stream), a tributary of East Fork of the Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 (1/100th) cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic purposes. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 20 ft. East and 110 ft. North from the SW corner of SW of the NW of Section 15, Township 28 South of Range 11 West of the Willamette Meridian in Coos County, Oregon. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of the NW 1/4 of Sec. 15, Tp. 28 South, R. 11 West, W. M., in the county of Coos

5. The pipe line to be 320 feet in length, terminating in the SW 1/4 of the NW 1/4 of Sec. 15, Tp. 28 South, R. 11 West, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— Barrel at present. To put in tank soon.

6. (a) Height of dam 4 feet, length on top 2 feet, length at bottom 2 feet; material to be used and character of construction barrel. Expect to put in redwood tank in near future. 3/4 inch pipe line.

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, and Number Acres To Be Irrigated. Row 1 contains: 28 South, 11 West, 15, SW 1/4 NW 1/4.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized (Head) feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied
.....
(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

..... Fred Minard
(Signature of applicant)

..... Myrtle Point, Oregon

..... Sitkum Route

Signed in the presence of us as witnesses:

(1) Sainia L. Caughell Coquille, Oregon
(Name) (Address of witness)

(2) J. Arthur Berg Coquille, Oregon
(Name) (Address of witness)

Remarks: I have been using water from this creek from the same point of diver-
sion for many years and the former owners since 1926.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19674

Permit No. 15255

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 22nd day of April, 1942, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

August 10, 1942

Recorded in book No. 37 of

Permits on page 15255

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 17 Page 22

Fees Paid \$10.00

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 22, 1942

Actual construction work shall begin on or before August 10, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1944

Complete application of the water to the proposed use shall be made on or before October 1, 1945

WITNESS my hand this 10th day of August, 1942

CHAS. E. STRICKLIN

STATE ENGINEER