

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 14731

To appropriate the Public Waters of the State of Oregon

I, Frank B. Solomon (Name of applicant)

of Elkton (Post office), County of Douglas, State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Lower Stony Brook (Name of stream)

a small canyon stream heading in Section 5, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02

cubic feet per second. one inch pipe (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic supply (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

for a small camp with a limited amount of cabins, serving about 12 people

4. The point of diversion is located 1980 ft. North and 70 ft. East from the SW corner of Section 4, Township 22 South, Range 8 West, W. M., (N. or S.) (E. or W.)

No other diversion point is located in said stream or creek (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 4, Tp. 22 South, R. 8 West, W. M., in the county of Douglas (Give smallest legal subdivision) (N. or S.)

5. The pipe line to be 2145 feet (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SW 1/4 SE 1/4 of Sec. 5, Tp. 22 South, R. 8 West, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 6 feet, length at bottom

3 feet; material to be used and character of construction Loose rock (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Low place left in center of top of dam to take care of overflow water at dam. (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description By Gravity from dam to cabins. (Size and type of pump)

From dam a two inch pipe first 100 ft., a 1 inch pipe 1745 ft. to cabins in SW 1/4 SE 1/4, then a 1/2 inch pipe to all six cabins 300 ft. = in all, 2145 ft. of pipe line. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

F.B.S.

F.B.S.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2145 ft.; size at intake, 2 in.; size at 100 ft. from intake 1 in.; size at place of use 1/2 in.; difference in elevation between intake and place of use, 50 ft. Is grade uniform? yes Estimated capacity, sec. ft. Average amount of water in creek is about 2 1/2 miner's inches.

8. Location of area to be irrigated, or place of use no irrigation - domestic use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>22 South</u>	<u>8 West</u>	<u>5</u>	<u>Part of D.L.C. No 49 as shown by map.*</u>	<u>* 8.5 acres</u>
			<u>Area purchased are parts of SW 1/4 SE 1/4 SW 1/4 SE 1/4 and SE 1/4 SE 1/4 of said Section No. 5</u>	<u>F.B.S.</u>

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized (Head) feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in (Legal subdivision) of Sec.
 Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? No
(Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

 (i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 12 people

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200.00

12. Construction work will begin on or before Pipe was installed year ago

13. Construction work will be completed on or before finished year ago

14. The water will be completely applied to the proposed use on or before will be used for
domestic purposes - exactly as now. F. B. S.

Frank B. Solomon

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Ernest W. Wade, Elkton, Oregon
(Name) (Address of witness)

(2) C. A. Clements, Sr., Elkton, Oregon
(Name) (Address of witness)

Remarks: Frank B. Solomon is using water from the described source at the
present time.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before June 18, 1942

WITNESS my hand this 19th day of May, 1942

CHAS. E. STRICKLIN

DB

STATE ENGINEER

Application No. 19695

Permit No. 15274

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 18th day of May 1942, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 10, 1942

Recorded in book No. 37 of

Permits on page 15274

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 16 Page 24

Fees Paid \$10.00

STATE OF OREGON

PERMIT

County of Marion,

} ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Lower Stony Brook

The use to which this water is to be applied is Domestic Supply For Camp.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 18, 1942

Actual construction work shall begin on or before August 10, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1944

Complete application of the water to the proposed use shall be made on or before October 1, 1945

WITNESS my hand this 10th day of August, 1942

CHAS. E. STRICKLIN

STATE ENGINEER