

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Mamie Howell (Name of applicant)

of Freewater (Post office), County of Umatilla

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Waste Water from NE 1/4 of SE 1/4, NE 1/4, Sec. 26, T. 6 N., R. 35 E., W. M. and from West 200' NW 1/4, SW 1/4, NW 1/4 of Sec. 25, T., a tributary of Walla Walla River 6 N., R. 35 E., W. M.

2. The amount of water which the applicant intends to apply to beneficial use is 0.1 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

No. 2 Diversion

4. The point of diversion is located 18 ft. South and 5 ft. West from the NE corner of SE 1/4 of the NE 1/4 of Sec. 26, T. 6 N., R. 35 E., W. M.; No. 1 Diversion, also a pt. 2 ft. N. and 110 ft. E. from the NW corner of the SW 1/4 of NW 1/4 of Sec. 25, T. 6 N., R. 35 E., W. M.

being within the NW 1/4 of NW 1/4, Sec. 25; SE 1/4 of NE 1/4 of Sec. 26, Tp. 6 N., R. 35 E., W. M., in the county of Umatilla

5. The 8" pipeline to be 45 ft. in length, terminating in the NW 1/4 NW 1/4 of Sec. 25, Tp. 6 N., R. 35 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— Stand pipe - picking up water from waste ditch

6. (a) Height of dam 2' feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate Diversion from Ransom Waste ditches

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2.15 feet; width on bottom 1 feet; depth of water .5 feet; grade 5 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 45 ft.; size at intake, 8 in.; size at from intake in.; size at place of use 8 in.; difference in elevation between intake and place of use, .5 ft. Is grade uniform? yes Estimated capacity, .5 sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 6 North, 35 E., W.M., 25, NW 1/4 of NW 1/4, 1.

(If more space required, attach separate sheet)

(a) Character of soil Loam

(b) Kind of crops raised Fruit and Vegetables

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

, Sec. , Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$...25.....

12. Construction work will begin on or before May 1st, 1942.....

13. Construction work will be completed on or before June 1st, 1942.....

14. The water will be completely applied to the proposed use on or before June 1st, 1942.....

Mamie Howell

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) H. L. Dunham 527 E. Rose St., Walla Walla, Wn.

(Name)

(Address of witness)

(2) Mrs. E. R. Tempary 101 N. Idaho, Walla Walla, Wn.

(Name)

(Address of witness)

Remarks: One of the diversion points is located in the road right-of-way and the other diversion point just inside my property - Part of this water has been used on my place, and by piping the waste water from the other tract, I prevent water running into the road.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19697

Permit No. 15276

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 11th day of May, 1942, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 10, 1942

Recorded in book No. 37 of Permits on page 15276

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 7 Page 24

Fees Paid \$9.50

STATE OF OREGON

PERMIT

County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.0375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Waste Water from NE 1/4 SE 1/4 NE 1/4, Section 26, T. 6 N., R. 35 E. and from the West 200' of the NW 1/4 SW 1/4 NW 1/4, Section 25, T. 6 N., R. 35 E., W. M.

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 0.0375 of one cubic foot per second or its equivalent for each acre irrigated, and shall also be limited to the water available at the proposed point of diversion, and shall not carry with it the right to compel the continuance of the waste water,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 11, 1942

Actual construction work shall begin on or before August 10, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1944

Complete application of the water to the proposed use shall be made on or before October 1, 1945

WITNESS my hand this 10th day of August, 1942

CHAS. E. STRICKLIN STATE ENGINEER