

CERTIFICATE NO. 15272

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Mrs. Maudie E. Green (Name of applicant)

of Wilderville (Post office), County of Josephine

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream (Name of stream), a tributary of None

2. The amount of water which the applicant intends to apply to beneficial use is 0.14 cubic feet per second. 20% for domestic use; 80% for irrigation. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 200 ft. South and 350 ft. East from the NW corner of Lot 8, Section 35 in Township 36 South, Range 7 West of Willamette Meridian, Oregon. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 8 of Sec. 35, Tp. 36 South R. 7 West, W. M., in the county of Josephine

5. The Main Flume & Pipeline is to be 1200 feet in length, terminating in the Lot 8 of Sec. 35, Tp. 36 S. R. 7 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top None feet, length at bottom None feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 1 spill-way 3" x 4" & inlet to pipe line 3" x 4" made of plank (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description No Pump (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 400.00.....
- 12. Construction work ^{Began} ~~will begin on or before~~ April 1, 1942.....
- 13. Construction work will be completed on or before February 1, 1943.....
- 14. The water will be completely applied to the proposed use on or before February 1, 1943.....

Mrs. Maudie E. Green
(Signature of applicant)

Wilderville, Oregon

Signed in the presence of us as witnesses:

- (1)
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks: The flume is built and the pipe line is layed.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19706

Permit No. 15283

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 18th day of May, 1942, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 10, 1942

Recorded in book No. 37 of

Permits on page 15283

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 16A

Fees Paid \$14.50

STATE OF OREGON

County of Marion,

ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.14 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed Stream

The use to which this water is to be applied is Domestic and Irrigation, being 0.01 c.f.s. for domestic and 0.13 c.f.s. for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 2, to October 31, of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 18, 1942

Actual construction work shall begin on or before August 10, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1944

Complete application of the water to the proposed use shall be made on or before October 1, 1945

WITNESS my hand this 10th day of August, 1942

CHAS. E. STRICKLIN

STATE ENGINEER