

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Sidney Crisp (Name of applicant) of Keating (Post office), County of Baker, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a stream formed from spring and waste, a tributary of no stream

2. The amount of water which the applicant intends to apply to beneficial use is 5/8 cubic feet per second.

**3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 660 ft. West and ft. from the NE corner of NE 1/4 of 36-7-41

being within the SE 1/4 SE 1/4, Sec. 25 & NE 1/4 NE 1/4 of Sec. 36, Tp. 7 S, R. 41 E, W. M., in the county of Baker

5. The Main Ditch to be 7/8 miles in length, terminating in the NE corner SW 1/4 SW 1/4 of Sec. 31, Tp. 7, R. 42, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 ft. feet, length on top 5 or 6 feet, length at bottom 4 feet; material to be used and character of construction dirt

(b) Description of headgate lumber - 2 openings

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$... 1 weeks work for 2 men and team

12. Construction work will begin on or before July 1

13. Construction work will be completed on or before July 15

14. The water will be completely applied to the proposed use on or before July 20

Sidney Crisp

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Chas. E. Baird, Baker, Oregon

(Name)

(Address of witness)

(2) Joe Geddes, Baker, Oregon

(Name)

(Address of witness)

Remarks: We have used this water for 12 years on 20 acres and as there is more water each year we wish to divert the stream so we can use it on about 30 more acres. There is much more water early in the season and diminishes to 12 or 14 inches in the fall.

STATE OF OREGON, } ss
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

verification or correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 6, 1942

WITNESS my hand this July 29, 1942
6th day of June, 1942
29th June 1942

CHAS. E. STRICKLIN
DB DB STATE ENGINEER

Application No. 19718

Permit No. 15319

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 4th day of June 1942, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

November 7, 1942

Recorded in book No. 37 of

Permits on page 15319

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 9 Page 34A

Fees Paid \$12.35

STATE OF OREGON

County of Marion,

PERMIT

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.63 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed Stream

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated, and shall be limited still further to a total diversion of not to exceed 0.63 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 4, 1942

Actual construction work shall begin on or before November 7, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1944

Complete application of the water to the proposed use shall be made on or before October 1, 1945

WITNESS my hand this 7th day of November, 1942

CHAS. E. STRICKLIN

STATE ENGINEER