## CERTIFICATE NO. 16875

## To Appropriate the Public Waters of the State of Oregon

\* APPLICATION FOR A PERMIT

of	Rt. 1, Woodburn (Post office)	,		of		
	of Oregon					
jouor	wing described public waters of					
	If the applicant is a corporation	on, give date and plo	ice of inc <b>o</b> rpor	ation		
•••••	1. The source of the proposed	d appropriation is	Unname	d Stream	ı, tribut	ary
	Champoeg			(Maine of a	ou cam,	
	2. The amount of water whic	h the applicant inter	ids to apply to	beneficial	use is	.825
cubic	e feet per second	(If water is to be used from n	nore than one source.	give quantity f	rom each)	
	**3. The use to which the water			ion		ic supplies, etc.)
	4. The point of diversion is lo					
corne	er of Any point on descr	(Section or	ere unnamed	stream	couches 1	.т
•••••	(If p	referable, give distance and be	aring to section corner	;)		
being	(If there is more than one p g within the SW1SW1, Sec. 16 (Give smalle	oint of diversion, each must be				4 South
	2 West , W. M., in the coun				•	(N. or S.)
	(E. or W.)  5. The(Main dit		to be			
in le	ngth, terminating in the					
	(E. or W.) W. M., the propo					
		DESCRIPTION O	F WORKS			
Dive	rsion Works—			•		
	6. (a) Height of dam		_			
	feet; material to be u	sed and character of	construction		(Loose roc)	c, concrete, masonry
rock ar	nd brush, timber crib, etc., wasteway over or arc	ound dam)				
	(b) Description of headgate					
•••••	(c) If water is to be pumped	give general descrip				
	McCormick -D Farmal to					

<sup>\*\*</sup> Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the H

Canal System o	r Pipe Line—			
7. (a) G	ive dimensions	at each point of ca	nal where materially chang	ed in size, stating miles fron
neadgate. At h	eadgate: width	on top (at water li	ne)	feet; width on botton
	feet; depth of	water	feet; grade	feet fall per one
housand feet. (b) At		miles from hed	idgate: width on top (at wat	er line)
•		-		vater feet
		feet fall per one th		,
				. in.; size at ft
				fference in elevation between
				Estimated capacity
		······································	gruuc unigorni	Dovinatea capacing
	-	a inninatad on plac	on of was	
Township	Range	Section Section	Forty-acre Tract	Number Acres
4 S.			SW4 SW4	To Be Irrigated
				6
				20
				18
		16	SE# SE#	
			·	
			equired, attach separate sheet)	
	-			erg
		Pasture		
Power or Mini		manuar to ha danal	oned	theoretical horsepowe
				_
			oower	sec. ji.
			(Head) feet.	
(a) 1	rne nature of ti	ie works by mean	s of which the power is to t	oe developed
(a) 5	Such anomica to h	a loogted in		of Soc
			(Legal subdivision)	of Sec
		, W. M		
		turned to any stre	(Yes or No)	
(g) I	j so, name stred	ım and locate poin	t of return	
		_	-	, R, W. M.

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—	
10. (a) To supply the city of	
	sent population of
and an estimated population of	
(b) If for domestic use state number of	families to be supplied
(Answer questions	11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	
12. Construction work will begin on or befo	re One year after approval
	n or before Two years after approval
_	o the proposed use on or before Three years after
ennroue!	
	Arthur R. and Vesta Buyserie (Signature of applicant)
•	By Vesta Buyserie
Signed in the presence of us as witnesses:	
	(Address of witness)
(2)(Name)	(Address of witness)
Remarks:	
STATE OF OREGON,   ss	
County of Marion,	
This is to certify that I have examined the	foregoing application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority, this appli-	cation must be returned to the State Engineer, with
corrections on or before	, 194
WITNESS my hand thisday	of, 194
, and any	·
	STATE ENGINEER

Application	No. 19761
Permit No.	15346

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon
	on the7th day of August,
	194.2., at 1:45 o'clock P. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	November 7, 1942
,	Recorded in book No. 37 of
	Permits on page 15346
	CHAS. E. STRICKLIN
	STATE ENGINEER  2 76K
	Drainage Basin No Page
	Fees Paid \$14.90
STATE OF OREGON	PERMIT
County of Marion,	ess and the same of the same o
This is to certify th	at I have examined the foregoing application and do hereby grant the same,
	RIGHTS and the following limitations and conditions:  anted is limited to the amount of water which can be applied to beneficial use
	2.825 cubic feet per second measured at the point of diversion from the
	a case of rotation with other water users, from
stream, or its equivalent in	Ilmnamod Ctmoom
	is water is to be applied isIrrigation
The use to which the	to which is to be applicated is
If for irrigation, this	s appropriation shall be limited to 1/80th of one cubic foot per
second or its equival	ent for each acre irrigated and shall be further limited to a
diversion of not to e	exceed 21 acre feet per acre for each acre irrigated during the
irrigation season of	each year,
and shall be subject to su	ch reasonable rotation system as may be ordered by the proper state officer.
The priority date of	this permit is August 7, 1942
Actual construction	work shall begin on or before November 7, 1943 and shall
Oatabam 1 10//	with reasonable diligence and be completed on or before
Complete application Exten	on of the water to the proposed use shall be made on or beforeded to Oct. 1, 1946
	this 7th day of November , 194.2.
	CHAS. E. STRICKLIN
	STATE ENGINEER