

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, T. H. Gault (Name of applicant) of North Bend (Post office), County of Coos, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed creek (Name of stream), a tributary of Coos Bay

2. The amount of water which the applicant intends to apply to beneficial use is 0.015 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of S. 82° 30' W. 1066.0 feet from the Northeast corner of Section 2, T. 25 S., R. 13 W. of Willamette Meridian. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1/4 of NE 1/4 of Sec. 2, Tp. 25 S., R. 13 W., W. M., in the county of Coos

5. The pipe line to be 650 feet in length, terminating in the NW 1/4 of NE 1/4 of Sec. 2, Tp. 25 S., R. 13 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction No dam to be built, the flow is to be collected in an underground concrete reservoir, 5' - 4" x 11' - 4" x 5' - 0" inside dimensions, which will serve as a settling basin. This is located so near head of creek that little wash is expected.

(b) Description of headgate 1" pipe

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 650 ft.; size at intake, 1" in.; size at ft. from intake in.; size at place of use 1" in.; difference in elevation between intake and place of use, 50 ft. Is grade uniform? No Estimated capacity, 0.02 sec. ft.

8. Location of area to be irrigated, or place of use NW 1/4 NE 1/4, Section 2

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
25 S.	13 W.	2	Lots 9, 10, 11 & 12 of Block 38 of Town of Glasgow, being within: NW 1/4 NE 1/4	0.25

(If more space required, attach separate sheet)

(a) Character of soil Sandy Clay
 (b) Kind of crops raised Garden and Grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 150.00

12. Construction work will begin on or before September 1, 1942

13. Construction work will be completed on or before June 1, 1943

14. The water will be completely applied to the proposed use on or before June 1, 1943

T. H. Gault
(Signature of applicant)

R. 1, Box 37A

North Bend, Oregon

Signed in the presence of us as witnesses:

(1) Helen I. Westcott, North Bend, Oregon, R. 1, Box 37
(Name) (Address of witness)

(2) Stanley L. Matson, North Bend, Oregon, R. 1, Box 37A
(Name) (Address of witness)

Remarks: This application is for water from a creek which, to the best of our knowledge, has never been filed upon, nor is it a tributary of any creek which has a filing below the junction point, and no one is taking water from it at the present time nor have in the past, so far as we know. There are several small creek in the vicinity which are being used, but all diversions are above the junction of the said creeks with the one hereby applied for.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19775

Permit No. 15358

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 26th day of August, 1942, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

November 7, 1942

Recorded in book No. 37 of

Permits on page 15358

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 10B

Fees Paid \$14.50

STATE OF OREGON

County of Marion,

ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed Creek

The use to which this water is to be applied is Domestic and Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 26, 1942

Actual construction work shall begin on or before November 7, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1944

Complete application of the water to the proposed use shall be made on or before October 1, 1945

WITNESS my hand this 7th day of November, 1942

CHAS. E. STRICKLIN

STATE ENGINEER