

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Chester J. Blum (Name of applicant)

of Route 1, Box 86, Stayton, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 Springs and Stout Creek, a tributary of N. Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is 0.3 cubic feet per second, being 0.03 c.f.s. for domestic, 0.01 c.f.s. for stock and balance for irrigation.

**3. The use to which the water is to be applied is Domestic, Stock and Irrigation -- Domestic from east spring - stock from west spring - irrigation from Stout Creek.

4. The point of diversion is located 1300 ft. South and 2400 ft. East from the SE corner of SW 1/4 NE 1/4, Sec. 15, T. 9 S., R. 1 E., W. M.

being within the SW 1/4 NE 1/4 of Sec. 15, Tp. 9 S., R. 1 E., W. M., in the county of Marion

5. The Pipe 1850' long Ditch to be 3/4 mile in length, terminating in the of Sec. 14, Tp. 9 S., R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam 3 feet, length on top 60 feet, length at bottom 40 feet; material to be used and character of construction earth and rock or timber

(b) Description of headgate

(c) If water is to be pumped give general description Gravity

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 3
.....
(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 500.00.....

12. Construction work will begin on or before Stock and domestic now in use.....

13. Construction work will be completed on or before 2 years after approval.....

14. The water will be completely applied to the proposed use on or before 3 years after approval.....

..... Chester J. Blum
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)
(2) (Name) (Address of witness)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19794

Permit No. 15371

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 14th day of September 1942, at 2:40 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

November 7, 1942

Recorded in book No. 37 of

Permits on page 15371

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 50A

Fees Paid \$14.50

STATE OF OREGON

PERMIT

County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.17 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Two Springs and Stout Creek, being 0.03 c.f.s. from east spring for domestic, 0.01 c.f.s. from west spring for stock purposes, and 0.13 c.f.s. from Stout Creek for irrigation purposes.

The use to which this water is to be applied is Domestic, Stock and Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 14, 1942

Actual construction work shall begin on or before November 7, 1943 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1944 (extended to Oct. 1, 1946)

Complete application of the water to the proposed use shall be made on or before October 1, 1945 (extended to Oct. 1, 1946)

WITNESS my hand this 7th day of November, 1942

CHAS. E. STRICKLIN STATE ENGINEER