CERTIFICATE NO. 15/50

ASSIGNED, Sec. Misc. Rec. Vol. 3 Page 58

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

	I, D. L. Coll (Name of applicant)
of	Silverton, Johnson St., County of
	ofdo hereby make application for a permit to appropriate the
	ring described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
,	
	If the applicant is a corporation, give date and place of incorporation
••••••	1. The source of the proposed appropriation is Silver Creek
	(Maine or strature)
	, a tributary of Pudding River
	2. The amount of water which the applicant intends to apply to beneficial use is
cubic	feet per second. (If water is to be used from more than one source, give quantity from each)
	to me
	*3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
corne	4. The point of diversion is located 1100 ft. North and 600 ft. East from the SW (N. or S.) r of Sec. 35, T. 6 S., R. 1 W., W. M., (Section or subdivision)
	(If preferable, give distance and bearing to section corner)
	(if preserable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being	within the SW
R	1 Wa, W. M., in the county of Marion
	5. The pipe to be 600 ft. (Main ditch, canal or pipe line) (Miles or feet)
in len	
_	gth, terminating in the of Sec, Tp
R	(E. or W.) W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diver	sion Works— No Dam
	6. (a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
•••••	(Loose rock, concrete, masonry
rock and	i brush, timber crib, etc., wasteway over or around dam)
	(b) Description of headgate
	(b) Description of headgate
	(c) If water is to be pumped give general description 2½ Cent. pump (Size and type of pump)
	2 H.P. Electric motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
	Flood & Sprinkle - 5 ft. Static Head

^{*} A different form of application is provided where storage works are contemplated

^{••} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

				feet; width on botton
ousand feet.	. feet; depth of	water	feet; grade	feet fall per on
(b) At		miles from he	adgate: width on top (at w	ater line)
	feet; width	on bottom	feet; depth of	water fee
ade	<u> </u>	eet fall per one t	housand feet.	
(c) Lengt	h of pipe ,	ft.;	size at intake,	in.; size at f
_				lifference in elevation betwee
		•		Estimated capacity
_			grade will or no.	2000matea capació
	•			
1				Number Acres
Township	Range	Section	Forty-acre Tract	To Be Irrigated
6 S.	l W.	35	SW4 SW4	2
		,	· · · · · · · · · · · · · · · · · · ·	
	••		·	
	,		······	
		(g		
	•••••	<u>-</u>		· · · · · · · · · · · · · · · · · · ·
		• -	required, attach separate sheet)	
			<u>m</u>	
(b) Kind	of crops raised	Beans		
ower or Minin				
9. (a) To	otal amount of p	power to be deve	loped	theoretical horsepowe
(b) Q	uantity of wate	r to be used for	power	sec. ft.
(c) To	otal fall to be u	tilized	(Head)	•
(d) T	he nature of th	e works by mear	is of which the power is to	be developed
(e) S	uch works to be	located in		of Sec
		, W. M		•
			•	
			eam?(Yes or No)	
			nt of return	
				, R, W. (No. E. or W.)
		-		······

Beginning 1.59 chains North 42 degrees East from the South set corner of a tract of land deeded to Mrs. L. V. Matheny on the 10th day of October, 1914, which deed is recorded on page 126 in Volume 134 of Marion County deed records; thence North 42 degrees East 2.74 chains to the center of Silver Creek; thence South 46 degrees 18 minutes East up said creek 9.15 chains; thence South 54 degrees 49 minutes West 3.40 chains; thence North 46 degrees 18 minutes West 8.76 chains to the place of beginning, being situated in Section 2, Township 7 South and Range 1 West of Willamette Meridian, in Marion County Oregon.

Also; commencing at a point which is North 42 degrees East 17.20 chains from the most Westerly Southwest corner of a 21.13 acre tract of land owned by Benjamin Hofstetter, 11.09 acres of it was conveyed by S. S. Herr and Hattie S. Herr to Claude Watters on the 12th day of January, 1910, said instrument being recorded in volume 10, page 560, on the 13th day of January 1910, in Marion County; Oregon Record of Deeds; 10.04 acres of the said tract was deeded to the same party on the 9th day of January 1911, by A. Coolidge & Company, said instrument being recorded in the Marion County, Oregon, Records of Deeds, Volume 112, page 423 on the 23rd day of January, 1911; thence South 42 degrees West 5.40 chains; thence South 46 degrees East 7.00 chains thence North 42 degrees East 3.40 chains to a point in the middle of Silver Creek thence North 46 degrees West 0.50 chains; thence North 30 degrees West along the center of Silver Creek to the point of beginning, containing 3.03 acres of land, more or less, all situated in Section 2, Township 7 South, Range 1 West of the Willamette Meridian, Marion, County, Oregon.

THE WAR THE STATE OF THE STATE

The pump sets opposite the top description but irrigates 2 acres of bottom land on both pieces.

Yours truly,

D. L. Coll

10. (a) To supply the city of							
	ent population of						
nd an estimated population of	in 19						
(b) If for domestic use state number of	families to be supplied						
(Answer questions 11	, 12, 13, and 14 in all cases)						
11. Estimated cost of proposed works, \$40	00.00						
	Construction work will begin on or before						
	the proposed use on or before						
01-1-111-1							
	•						
	D. L. Coll (Signature of applicant)						
Signed in the museum of the government							
Signed in the presence of us as witnesses:							
(Name)	(Address of witness)						
2)(Name)	(Address of witness)						
Remarks:							
County of Marion,							
This is to certify that I have examined the fo	oregoing application, together with the accompanying						
naps and data, and return the same for							
· ·							
In order to retain its priority, this applica	ation must be returned to the State Engineer, wit						
orrections on or before	, 194						

STATE ENGINEER

Permit	Nο	15411
- 27 11666	TA O.	

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

	This instru office of the St		st received in		
•	on the 31st	_		_	
·	1942 , at 10:2			·	
	Returned to ap		.47.7 474.		•
	recarned to ap	pucant.			
	Corrected appl	i.	ved:	•	
	Approved:	•			
	March	5,1943			
	Recorded in	book No	37	of	
	Permits on pag	ge 15411	······		
	CHAS. F	. STRICKLI	N STATE ENGIN	EER	
•	Drainage Basi	n No. 2	Page381	D .	
	Fees Paid\$9	.5 0			
	r.			-	
STATE OF OREGON ss		PERMIT	•		
County of Marion,	:				
•	ted is limited to	the amount	of water whic	h can be a	pplied to beneficial use
and shall not exceed					
stream, or its equivalent in co	Silver		er users, from		
The use to which this	water is to be ap	oplied is1.			
If for irrigation, this a	ppropriation sho	ll be limited	,		of one cubic foot per
second or its equivalent	for each ac	re irrigat	ad and shall	be furt	her limited to a
diversion of not to exc	ceed 2½ acre	feet per a	cre for each	n acre ir	rigated during the
derigation beason of e	achiyear,	fil said italie.	seessal kii tat	laukish u	ar ker-Tor anch
ecre irrigated during t		. 1655th c	Child of the		
and shall be subject to such	reasonable rota	tion system (is may be orde	red by the	proper state officer.
The priority date of th	is permit is	Dece	mber 31, 194	.2	
Actual construction w	ork shall begin	on or before	March 5, 1	944	and shall
thereafter be prosecuted with October 1, 1945		Tara satisfic	e completed o	n or before	?
		•	use shall be m	ade on or l	before
October 1, 1946	·	<u> </u>		*	
WITNESS my hand th			March	į.	. 194. 3
			CHAS. I		
			OTTUO - L	TO TITLE OF	****