

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, City of Gold Hill (Name of applicant) of Gold Hill (Post office), County of Jackson, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring (Name of stream), a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.04 cubic feet per second. being 0.01 c.f.s. for domestic and 0.03 c.f.s. to power ram. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic and 1/2 acre garden and lawn. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 490 ft. North and 650 ft. East from the S1/4 corner of Section 15. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 SE 1/4 of Sec. 15, Tp. 36 S., R. 3 W., W. M., in the county of Jackson (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipe line to be 180 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SW 1/4 SE 1/4 of Sec. 15, Tp. 36 S., R. 3 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction concrete box (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate direct from spring (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1" hydraulic ram - 20 feet (Size and type of pump) total lift. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 100.00.....

12. Construction work will begin on or before one year from date of priority.....

13. Construction work will be completed on or before two years from date of priority.....

14. The water will be completely applied to the proposed use on or before three years from date of priority.....

City of Gold Hill

(Signature of applicant)

By Nellie G. Reed, Recorder

Gold Hill, Oregon

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, } ss
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 194.....

WITNESS my hand this day of 194.....

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 29th day of September, 1942, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 5, 1943

Recorded in book No. 37 of

Permits on page 15417

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 78A

Fees Paid \$10.25

STATE OF OREGON County of Marion, ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

Unnamed Spring

The use to which this water is to be applied is Domestic, including the irrigation of a lawn and garden not exceeding 1/2 acre in area and Operation of a Ram, being 0.01 c.f.s. for domestic and 0.03 c.f.s. for operation of ram.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 29, 1942

Actual construction work shall begin on or before March 5, 1944 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1945

Complete application of the water to the proposed use shall be made on or before October 1, 1946

WITNESS my hand this 5th day of March, 1943

CHAS. E. STRICKLIN STATE ENGINEER