

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Lee Eyerly (Name of applicant)

of Box 670 Salem, County of Oregon

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring (Name of stream) trib. of Lake Crk., a tributary of Metolius R.

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and stock (Irrigation, power, minings, manufacturing, domestic supplies, etc.) Domestic including irrig. of lawns & gardens not to exceed 1/2 acre in area

4. The point of diversion is located ft. and ft. from the corner of N 89° W 1500 ft. from the E 1/4 corner of Sec. 16, T 13 S, R 9 E, W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SWNE of Sec. 16, Tp. 13 S, R. 9 E, W. M., in the county of Jefferson

5. The Pipe to be 500 feet in length, terminating in the of Sec. , Tp. R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— Concrete box 5'X5'X5'

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

2 1/2 HP electric motors capacity 20 gpm

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before Completely applied

Lee U. Eyerly
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 4th day of November, 1942, at 11:15 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

May 15, 1943

Recorded in book No. 38 of Permits on page 15424

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 5 Page 24A Fees Paid 10.00

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed spring

The use to which this water is to be applied is Domestic and stock, being 0.01 c.f.s. for domestic and 0.01 c.f.s. for stock, domestic includes irrigation of lawns and gardens not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 4, 1942

Actual construction work shall begin on or before May 15, 1944 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1945

Complete application of the water to the proposed use shall be made on or before

October 1, 1946

WITNESS my hand this 15th day of May, 1943

CHAS. E. STRICKLIN STATE ENGINEER