

CERTIFICATE NO. 19670 ASSIGNED, See Misc. Rec. Vol. 3 Page 560-66

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, S. H. Guild (Name of applicant) of Route #1 Box 299 Portland, County of Clackamas State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is An unnamed stream (Name of stream), a tributary of Mt. Scott Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.5 cubic feet per second. Because of possibility of using hydraulic ram (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1105 ft. S and 635 ft. E from the NW corner of Sec. 4, T. 2 S., R. 2 E. W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.W. 1/4, N.W. 1/4, N.W. 1/4 of Sec. 4, Tp. 2 S., R. 2 E., W.M., in the county of Clackamas

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), R. (E. or W.), W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description. A small, electrically driven pump with capacity of from 10 to 30 gallons per minute will lift the water approximately 15 to 25 feet to a storage tank, from which the water will flow by gravity to the areas that will be irrigated. If practical, might use hydraulic ram instead of pump. 3/4" pipe 1 1/2" feeder inlet 5' lead 2500 gallons per day

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use At my residence in location given

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S	2 E	4		1 2/3 Acres

Legal description; Beginning at a point fourteen and forty-six hundredths (14.46) chains south and 9.25 chains East of the Northwest corner of Section 4; in township 2, south of range 2, east of the Willamette Meridian in the County of Clackamas and State of Oregon, thence running east 293 feet and 9 inches; thence south 245 feet; thence west 293 feet and 9 inches; thence north 245 feet to point of beginning.

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)
 Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 150.00.....

12. Construction work will begin on or before on or before Summer 1943.....

13. Construction work will be completed on or before Winter 1943.....

14. The water will be completely applied to the proposed use on or before Winter 1943.....

S. H. Guild

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Reade M. Ireland, Rt. 11, Box 21, Portland, Oregon

(Name)

(Address of witness)

(2) L. de Clifford, 1811 N. W. Couch, Portland, Oregon

(Name)

(Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this 29th day of December, 1942.

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon
on the 19th day of February,
1943, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

May 15, 1943

Recorded in book No. 38 of

Permits on page 15432

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 84 A

Fees Paid 9.75

STATE OF OREGON

PERMIT

County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Unnamed stream

The use to which this water is to be applied is Irrigation and the operation of a
dam, being 0.03 c.f.s. for irrigation and 0.03 c.f.s. for dam

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during
the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 19, 1943

Actual construction work shall begin on or before May 15, 1944 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1945

Complete application of the water to the proposed use shall be made on or before
October 1, 1946

WITNESS my hand this 15th day of May, 1943

CHAS. E. STRICKLIN

STATE ENGINEER