

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 23842

To Appropriate the Public Waters of the State of Oregon

I, Westland Water Association (Name of applicant) of Clatskanie (Post office), County of Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is east fork of O. K. creek and west fork of O. K. crk. (Name of stream), a tributary of Westport Slough

2. The amount of water which the applicant intends to apply to beneficial use is 0.6 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.) being 0.27 c.f.s. for dom. & 0.03 c.f.s. for stock from each stream

4. The point of diversion is located 2150 ft. S and 2875 ft. W (N. or S.) (E. or W.) from the NE corner of Sec. 9 T 7 N., R. 5 W., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE NW (Give smallest legal subdivision) of Sec. 9, Tp. 7 N (N. or S.), R. 5 W. (E. or W.), W. M., in the county of Columbia

5. The Pipe (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

7 N	5 W	3		SW $\frac{1}{4}$ NE $\frac{1}{4}$
7 N	5 W	3	Lot 9	(NE $\frac{1}{4}$ NW $\frac{1}{4}$)
7 N	5 W	3	Lot 8	(NW $\frac{1}{4}$ NW $\frac{1}{4}$)
7 N	5 W	3	Lot 7	(SW $\frac{1}{4}$ NW $\frac{1}{4}$)
7 N	5 W	3	Lot 6	(SE $\frac{1}{4}$ NW $\frac{1}{4}$)
7 N	5 W	3		NE $\frac{1}{4}$ SW $\frac{1}{4}$
7 N	5 W	3		NW $\frac{1}{4}$ SW $\frac{1}{4}$
7 N	5 W	3		SW $\frac{1}{4}$ SW $\frac{1}{4}$
7 N	5 W	4	Lots 1 & 2	(NE $\frac{1}{4}$ NE $\frac{1}{4}$)
7 N	5 W	4	Lot 3	(NW $\frac{1}{4}$ NE $\frac{1}{4}$)
7 N	5 W	4		SE $\frac{1}{4}$ NE $\frac{1}{4}$
7 N	5 W	4	Lot 9	(NE $\frac{1}{4}$ NW $\frac{1}{4}$)
7 N	5 W	4		SE $\frac{1}{4}$ SW $\frac{1}{4}$
7 N	5 W	4		NE $\frac{1}{4}$ SE $\frac{1}{4}$
7 N	5 W	4		NW $\frac{1}{4}$ SE $\frac{1}{4}$
7 N	5 W	4		SW $\frac{1}{4}$ SE $\frac{1}{4}$
7 N	5 W	4		SE $\frac{1}{4}$ SE $\frac{1}{4}$
7 N	5 W	5	Lot 2	(NW $\frac{1}{4}$ NE $\frac{1}{4}$)
7 N	5 W	5	Lot 3	(NE $\frac{1}{4}$ NW $\frac{1}{4}$)
7 N	5 W	9		NE $\frac{1}{4}$ NE $\frac{1}{4}$
7 N	5 W	9		NW $\frac{1}{4}$ NE $\frac{1}{4}$
8 N	5 W	31	Lot 1	(NE $\frac{1}{4}$ NE $\frac{1}{4}$)
8 N	5 W	31		W $\frac{1}{2}$ NE $\frac{1}{4}$
8 N	5 W	31		NW $\frac{1}{4}$
8 N	5 W	31	Lot 8	(NE $\frac{1}{4}$ SW $\frac{1}{4}$)
8 N	5 W	31		SW $\frac{1}{4}$ SE $\frac{1}{4}$
8 N	5 W	32		S $\frac{1}{2}$ NE $\frac{1}{4}$
8 N	5 W	32		NW $\frac{1}{4}$
8 N	5 W	32		SE $\frac{1}{4}$
8 N	5 W	33		SW $\frac{1}{4}$ NE $\frac{1}{4}$

8 N	5 W	33		SE $\frac{1}{4}$ NE $\frac{1}{4}$
8 N	5 W	33		SW $\frac{1}{4}$ NW $\frac{1}{4}$
8 N	5 W	33		SE $\frac{1}{4}$ NW $\frac{1}{4}$
8 N	5 W	33		NE $\frac{1}{4}$ SW $\frac{1}{4}$
8 N	5 W	33		W $\frac{1}{2}$ SW $\frac{1}{4}$
8 N	5 W	33		SE $\frac{1}{4}$ SW $\frac{1}{4}$
8 N	5 W	33		NE $\frac{1}{4}$ SE $\frac{1}{4}$
8 N	5 W	33		NW $\frac{1}{4}$ SE $\frac{1}{4}$
8 N	5 W	33	Lot 5	(SW $\frac{1}{4}$ SE $\frac{1}{4}$)
8 N	5 W	33	Lot 6	(SE $\frac{1}{4}$ SE $\frac{1}{4}$)
8 N	5 W	34	Lot 8	(SW $\frac{1}{4}$ NE $\frac{1}{4}$)
8 N	5 W	34		SW $\frac{1}{4}$ NW $\frac{1}{4}$
8 N	5 W	34		SE $\frac{1}{4}$ NW $\frac{1}{4}$
8 N	5 W	34		NE $\frac{1}{4}$ SW $\frac{1}{4}$
8 N	5 W	34		NW $\frac{1}{4}$ SW $\frac{1}{4}$
8 N	5 W	34		SW $\frac{1}{4}$ SW $\frac{1}{4}$
8 N	5 W	34	Lot 9	(SE $\frac{1}{4}$ SW $\frac{1}{4}$)
8 N	5 W	34	Lot 7	(NE $\frac{1}{4}$ SE $\frac{1}{4}$)
8 N	5 W	34		NW $\frac{1}{4}$ SE $\frac{1}{4}$
8 N	5 W	34		SW $\frac{1}{4}$ SE $\frac{1}{4}$
8 N	5 W	34	Lot 6	(SE $\frac{1}{4}$ SE $\frac{1}{4}$)

Municipal or Domestic Supply—

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 50

(Answer questions 11, 12, 13, and 14 in all cases) 1000 cattle maximum

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before Now in use to serve 20 families.....

13. Construction work will be completed on or before 2 yrs. after approval.....

14. The water will be completely applied to the proposed use on or before 3 yrs. after approval.....

Westland Water Association
(Signature of applicant)

BY - Grace Kent Magruder
Secty - Treas.

Signed in the presence of us as witnesses:

(1)
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 25th day of February, 1943, at 11:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

May 15, 1943

Recorded in book No. 38 of

Permits on page 15437

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 6 C

Fees Paid 10.00

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.60 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from East Fork of O. K. Creek and West Fork of O. K. Creek, being 0.30 c.f.s. from each stream

The use to which this water is to be applied is Domestic and stock, being 0.27 c.f.s. for domestic and 0.03 c.f.s. for stock from each stream

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 25, 1943

Actual construction work shall begin on or before May 15, 1944 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1945

Complete application of the water to the proposed use shall be made on or before

October 1, 1946

WITNESS my hand this 15th day of May, 1943

CHAS. E. STRICKLIN STATE ENGINEER