

\* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Molalla Flax Growers Inc. (Name of applicant) of Canby (Post office), County of Clackamas, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Molalla River (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 500 gal per minute cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Manufacturing (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1375 ft. S and 500 ft. E from the NW corner of Sec. 20, T. 4 S., R. 2 E. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 1 (SW 1/4 NW 1/4) of Sec. 20, Tp. 4 S., R. 2 E., W. M., in the county of Clackamas

5. The Pipe line to be 1437 ft. in length, terminating in the of Sec. , Tp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 500 gals per minute Rotary pump 15 horsepower Motor Electric 22 ft. head water

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of) .....  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before .....
- 13. Construction work will be completed on or before .....
- 14. The water will be completely applied to the proposed use on or before 5/1/43.....

MOLALLA FLAX GROWERS, INC

(Signature of applicant)

MGR

Joe Atcheson

Signed in the presence of us as witnesses:

(1) ..... (Name) ..... (Address of witness)

(2) ..... (Name) ..... (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion and fees .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 26, 1943.

WITNESS my hand this 26th day of March, 1943.

CHAS. E. STRICKLIN

STATE ENGINEER

By

Ed K. Humphrey, Assistant

Application No. 19871

Permit No. 15447

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 25th day of March 1943, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

May 15, 1943

Recorded in book No. 38 of

Permits on page 15447

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 29

Fees Paid 11.00

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 500 g.p.m. cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Molalla River

The use to which this water is to be applied is Manufacturing

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 25, 1943

Actual construction work shall begin on or before May 15, 1944 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1945

Complete application of the water to the proposed use shall be made on or before

October 1, 1946

WITNESS my hand this 15th day of May, 1943

CHAS. E. STRICKLIN STATE ENGINEER