

*** APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, The City Church Extension Society of the Methodist Episcopal Church of
Portland, (Name of applicant)
of Portland (Post office), County of Multnomah,
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation May 8, 1906
in the State of Oregon

1. The source of the proposed appropriation is Unnamed Spring
(Name of stream)
a tributary of Deep Creek

2. The amount of water which the applicant intends to apply to beneficial use is one-tenth
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is The domestic supply of a Church Camp
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
with an ultimate capacity of 250 persons

4. The point of diversion is located 283 ft. North and 619 ft. West from the 1/4
(N. or S.) (E. or W.)
corner of Section 28 Township 2S, Range 4 East Willamette Meridian
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of SW 1/4 of Sec. 21, Tp. 2 South
(Give smallest legal subdivision) (N. or S.)

R. 4 East, W. M., in the county of Clackamas
(E. or W.)

5. The Pipeline to be Approximately 700 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 of the NW 1/4 of Sec. 28, Tp. 2 South
(Smallest legal subdivision) (N. or S.)

R. 4 East, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom
_____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Spring will be enclosed with 2" timbers and
(Timber, concrete, etc., number and size of openings)
pipeline run from that enclosure.

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 700 ± ft.; size at intake, 6 in.; size at ft. from intake in.; size at place of use 6 in.; difference in elevation between intake and place of use, 85 ft. Is grade uniform? yes Estimated capacity, 1.7 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 South	4 East	28	The North half of the Northwest quarter	
The exact description from the deed is attached hereto.				

The North half of the Northwest quarter of Section 28, T.2.S., R. 4E. W.M. except the following:

Beginning at a point on the quarter section line of said Section 28, a distance of 38 rods 11 feet south of the north quartersection corner of said section 28; thence South 69° 30' W. 13 rods and 6 feet to a stone about 6 X 6 X 12 inches set in the ground with an X on top, which stone is located in the old Barlow Road; thence southerly along said old Barlow Road to a stake in a mound of stone on the left bank of Deep Creek, thence S. 36° 06' W. 1130 chains more or less to the south line of the north half of the northwest quarter of said section 28; thence east on one-sixteenth section line 10.50 chains to the southeast corner of the north half of the northwest quarter of said section 28; thence north on quarter section line 800.00 feet more or less, to the place of beginning;

Also excepting the following: Beginning at the quarter section corner on the north side of Section 28; thence south on quarter section line 38 rods 11 feet; thence S. 69° 30' W. 13 rods and 6 feet to a stone about 6 X 6 X 12 inches set in the ground with an X on top; which stone is located in the old Barlow Road; thence Northerly along said the centerline of said old Barlow Road to the north line of the northwest quarter of said section 28; thence east on section line to the place of beginning, the land hereby conveyed containing 70 acres more or less.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied See Question 3.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300.00 Initial development

12. Construction work will begin on or before January 1, 1942

13. Construction work will be completed on or before December 31, 1942 Initial Devel.

14. The water will be completely applied to the proposed use on or before December 31, 1944

The City Church Extension Society of the
Methodist Episcopal Church of Portland

(Signature of applicant)

By C. L. Starr President

Attest: J. J. Brauer Secretary

Signed in the presence of us as witnesses:

(1) Mima Sutherland, 807 SW 14th Avenue, Portland, Oregon

(Name)

(Address of witness)

(2) John W. Reynolds, 909 American Bank Bldg., Portland, Oregon

(Name)

(Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 19545

Permit No. 15464

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 3rd day of November, 1941, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

May 15, 1943

Recorded in book No. 38 of

Permits on page 15464

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 10 B

Fees Paid \$10.00

STATE OF OREGON County of Marion, ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed spring

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

This permit is subject to the provisions of order of County Court of Clackamas County dated March 22, 1943.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 3, 1941

Actual construction work shall begin on or before May 15, 1944 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1945

Complete application of the water to the proposed use shall be made on or before

October 1, 1946

WITNESS my hand this 15th day of May, 1943

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.