

CERTIFICATE NO. 15285

water made

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, We, Ernest W. Hiller and Elizabeth Hiller (by Elizabeth Hiller) of Wilderville, County of Josephine, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Minnie Creek and Spring, a tributary of Slate Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 c.f.s. cubic feet per second. being 0.01 c.f.s. from Minnie Creek and 0.01 c.f.s. from spring.

**3. The use to which the water is to be applied is Domestic including 1/2 acre garden

4. The point of diversion is located 180 ft. S and 215 ft. E from the NW corner of Section 1, both

being within the NW 1/4 NW 1/4 of Sec. 1, Tp. 37 S

R. 7 W, W. M., in the county of Josephine

5. The Ditch and Pipe to be 100 feet in length, terminating in the NW 1/4 NW 1/4 of Sec. 1, Tp. 37 S

R. 7 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 6 feet, length at bottom 6 feet; material to be used and character of construction Earth dam. Wasteway over Spring is a sump 1' deep by 1' x 1'

(b) Description of headgate Lumber. One opening 6" x 6"

(c) If water is to be pumped give general description 1 1/2 h.p. gas engine 1 1/2" centrifugal pump 18' lift.

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 0.5 feet; width on bottom 0.5 feet; depth of water 0.4 feet; grade 5 feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 75 ft.; size at intake, 2 in.; size at 75 ft. from intake 2 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 18 ft. Is grade uniform? yes Estimated capacity, 0.02 sec. ft.

8. Location of area to be irrigated, or place of use _____

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
37 S	7 W	1	NW ¹ / ₄ NW ¹ / ₄	Domestic including ¹ / ₂ acre garden

(If more space required, attach separate sheet)

(a) Character of soil Red Soil

(b) Kind of crops raised Garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____,
(Legal subdivision)

Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$100.00.....
- 12. Construction work will begin on or before May 25th, 1944.....
- 13. Construction work will be completed on or before May 25th, 1945.....
- 14. The water will be completely applied to the proposed use on or before May 25th, 1945.....

Ernest W. Hiller and Elizabeth Hiller
(Signature of applicant)

By Elizabeth Hiller.....

Wilderville, Oregon.....

Signed in the presence of us as witnesses:

(1)
(Name) (Address of witness)

(2)
(Name) (Address of witness)

Remarks: Applicants own the NW 1/4 Sec. 1, T. 37 S., R. 7 W., W.M......

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 26, 1943.....

WITNESS my hand this 27th day of May, 1943.....

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed. K. Humphrey, Assistant
md

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 25th day of May 1943, at 1 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

July 23, 1943

Recorded in book No. 38 of

Permits on page 15495

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 16 B

Fees Paid 10.00

STATE OF OREGON } PERMIT
County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Minnie Creek and Spring being 0.005 c.f.a. from each source.

The use to which this water is to be applied is Domestic, including the irrigation of a garden not exceeding 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 25, 1943

Actual construction work shall begin on or before July 23, 1944 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1945

Complete application of the water to the proposed use shall be made on or before October 1, 1946

WITNESS my hand this 23rd day of July, 1943

CHAS. E. STRICKLIN STATE ENGINEER